TMSS10Catalog_NBU

TMSS10Catalog_NBU will create Catalog entries from NetBackup output.

Synopsis

```
TMSS10Catalog_NBU [-C Customer-ID] [-F process file level data] [-M default Media-ID] [-S logon string] [-c configuration file] [-d include directories] [h database home directory]
```

Options

- -C Customer-ID.
- -F Process File Level Data
- -M Media-ID.
- -S The Logon string argument sets the Server Logon Information
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced Barcode pre and post processing and route program output to syslogd.
- -d Include directories.
- -h Database home directory.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content ACME_*.*, specifying FI:/etc/ACME_volumes will have the same effect as -V ACME.*.*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with *LIST: then rather than matching the literal value, each record in the file specified as *LIST:filename will be tested. If one matches the match will succeed.

2025/01/21 22:08
include page

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.
stderr: Diagnostic messages.
stdin: Program input.

Example

Command line syntax

Output

Changelog

Cannot load rss feed.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/cli/tmss10catalog_nbu?rev=1626913275

Last update: **2025/01/21 22:07**