

TMSS10CSV2Fixed

TMSS10CSV2Fixed converts a CSV file to a fixed length text file.

Synopsis

TMSS10CSV2Fixed [-?] [-v]

Options

- **-?** Integer pairs denoting string offset and field length

Exit Status

- **zero** Program has ended successfully.
- **non-zero** Program has not ended successfully.

Environment

TMSSDELIMITER If defined the program will use a delimiter other than the default comma value.


Allowable values are:

- TAB
- SEMI-COLON
- COLON
- SPACE

Examples

Comma Delimited CSV

Input File



The screenshot shows a Notepad window titled 'volumes_comma.csv'. The menu bar includes File, Edit, Format, View, and Help. The text content is as follows:


```
Volume,Repository,Description
000001L5,OFFS,Monday
000002L5,OFFS,Tuesday
000003L5,OFFS,Wednesday
000004L5,OFFS,Thursday
000005L5,LIBR,Friday
000006L5,LIBR,Saturday
```

Command Line Syntax

```
TMSS10CSV2Fixed 0 8 15 10 30 15 < volumes_comma.csv >
volumes_comma_fixed.txt
```

Input file volumes_comma.csv on stdin, output stdout to file volumes_comma_fixed.txt
output column 1 to offset 0, length 8
output column 2 to offset 15, length 10
output column 3 to offset 30, length 15

Output




The screenshot shows a Notepad window titled 'volumes_comma_fixed.txt - Notepad'. The menu bar includes File, Edit, Format, View, and Help. The text content is as follows:

```
Volume      Repository    Description
000001L5    OFFS          Monday
000002L5    OFFS          Tuesday
000003L5    OFFS          Wednesday
000004L5    OFFS          Thursday
000005L5    LIBR          Friday
000006L5    LIBR          Saturday
```

Tab Delimited CSV

Input File



The screenshot shows a text editor window titled 'volumes_tab.csv'. The menu bar includes 'File', 'Edit', 'Format', 'View', and 'Help'. The table content is as follows:

Volume	Repository	Description
000001L5	OFFS	Monday
000002L5	OFFS	Tuesday
000003L5	OFFS	Wednesday
000004L5	OFFS	Thursday
000005L5	LIBR	Friday
000006L5	LIBR	Saturday

Command Line Syntax

```
set TMSSDELIMITER=TAB  
TMSS10CSV2Fixed 0 8 15 10 30 15 < volumes_tab.csv > volumes_tab_fixed.txt
```

Input file volumes_tab.csv on stdin, output stdout to file volumes_tab_fixed.txt

output column 1 to offset 0, length 8

output column 2 to offset 15, length 10

output column 3 to offset 30, length 15



Running TMSS10CSV2Fixed with a file input from stdin and no offsets, will result in output with suggested column offsets to import the data without having to count columns and offsets manually.

Output

volumes_comma_fixed.txt - Notepad

File	Edit	Format	View	Help
Volume	Repository	Description		
000001L5	OFFS	Monday		
000002L5	OFFS	Tuesday		
000003L5	OFFS	Wednesday		
000004L5	OFFS	Thursday		
000005L5	LIBR	Friday		
000006L5	LIBR	Saturday		

Changelog

Cannot load rss feed.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/cli/tmss10csv2fixed?rev=1653953671>

Last update: **2025/01/21 22:07**

