TMSS10DRStrategy

Synopsis

```
TMSS10DRStrategy [-A DR Attachment File] [-C customer ID] [-D description] [-E expiry] [-L latency] [-M dump mode] [-R repository for delivery] [-S logon string] [-a append] [-d DR definition file] [-f DR strategy file] [-l print definitions] [-t test mode]
```

Description

Creates a TapeTrack Disaster Recovery Strategy.

Options

- `-A` DR Attachment File
- `-C` Customer ID filter
- `-D` DR strategy description
- `-E` DR strategy expiration date
- `-L` Time latency deadline for delivery in minutes (default = 600 minutes)
- `-M` When true program operates in dump mode
- `-R` Repository to deliver the volumes to when strategy is envoked
- `-S` The logon string argument sets the Server logon information.
- `-a` Append to an existing DR strategy (default = false)
- `-d` DR definition file (default = default.ttidef)
- `-f` DR Strategy ID file
- `-l` Print valid import definition functions (default = false)
- `-t` Test mode allows the execution of the DR strategy process without making any changes to the TapeTrack database

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/cli/tmss10drstrategy?rev=1526607523

Last update: **2025/01/21 22:07**