

TMSS10ExpireDRStrategies

Synopsis

TMSS10ExpireDRStrategies [-C customer filter] [-D description filter] [-R date range] [-S logon string] [-d depreciate] [-t test mode]

Description

TMSS10ExpireDRStrategies will delete (or depreciate) all expired Disaster Recovery strategies within the specified date range.

Options

- - C Customer ID filter.
- - D Description filter.
- - R Expiry date range.
- - S The logon string argument sets the [Server logon information](#).
- - d Depreciate disaster recovery strategy rather than delete.
- - t Run in test mode, no updates performed.

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Headline

Configuration file to load to create two Customers with duplicate attributes

- Customer ID: 0001, Customer Description: ACME Computers
- Customer ID: 0002, Customer Description: Bond Corporation

with two media types

- Media ID: LTO, Media Description: LTO Cartridge
- Media ID: 3490, Media Description: IBM 3490 Cartridge.

and two repositories

- Repository ID: LIBR, Repository Description: Library, Repository Type: 1, Next Repository: OFFS
- Repository ID: OFFS, Repository Description: Iron Mountain, Repository Type: 2 and Next Repository: LIBR.

<sxh> setup= {

```
customers=
(
  {
    id="0001"; description="ACME Computers";
```

```
media=
(
  {
    id="LTO"; description="LTO Cartridge";
```

```
repositories=
(
  { id="LIBR"; description="Library"; type=1; },
  { id="OFFS"; description="Iron Mountain"; type=2; }
),
{
  id="3490"; description="IBM 3490 Cartridge";
```

```
repositories=
(
  { id="LIBR"; description="Library"; type=1; next="OFFS"; },
  { id="OFFS"; description="Iron Mountain"; type=2; },
next="LIBR"; }
)
}
```

```

    },
    {
        id="0002"; description="Bond Corporation";

```

```

        media=
        (
            {
                id="LT0"; description="LT0 Cartridge";

```

```

                repositories=
                (
                    { id="LIBR"; description="Library"; type=1; },
                    { id="OFFS"; description="Iron Mountain"; type=2; }
                )
            },
            {
                id="3490"; description="IBM 3490 Cartridge";

```

```

                repositories=
                (
                    { id="LIBR"; description="Library"; type=1; },
                    { id="OFFS"; description="Iron Mountain"; type=2; }
                )
            }
        )
    }
};

```

```
}; </sxh>
```

Command line syntax

```
<sxh plain;> TMSS10ExpireDRStrategies -S user:-password@server -C "US02" -R "M-1:m-1" -d
</sxh>
```

Output

```
<sxh plain;> ZBT001N-12:58:04 TMSS10ExpireDRStrategies © GazillaByte 1998-2017
ZBT002N-12:58:04 Compiled Jul 4 2017 at 19:58:38 ZBT010I-12:58:04 this program will delete all
expired Disaster Recovery Strategies ZBT006N-12:58:04 Running Under Windows 10 (build 15063
10.00) on platform x64 ZBT000N-12:58:04 Host is Little Endian ZBT000N-12:58:04 Host is ASCII
ZBT000N-12:58:04 Binary is 64 bit ZBT000N-12:58:04 Current Working Directory is
C:\Users\GazillaByte\TapeTrack ZBT004N-12:58:04 Today is Tuesday, November 21, 2017
ZBT005N-12:58:04 Running on Production ZBT006N-12:58:04 Process ID 18120 ZBT000N-12:58:04
Parsing and validating command arguments ZBT001N-12:58:04 Server Interpreted as:
Server(localhost) Port(5000) User(user) Password(**) ZBT000N-12:58:04 Explicit date range requested
as: M-1:m-1 ZBT000N-12:58:04 Start date interpreted as: Sunday, October 01, 2017
ZBT000N-12:58:04 End date interpreted as: Tuesday, October 31, 2017 ZBT000N-12:58:04 Days
```

apart: 31 ZBT000N-12:58:04 Checking for Environment Variable 'ESPDATERANGEOFFSETFILE'
ZBT002N-12:58:04 Program Options: ZBT002N-12:58:04 (C) Customer Filter=US02 ZBT002N-12:58:04
(D) Description Filter=* ZBT002N-12:58:04 (R) Expiry Date Range=M-1:m-1 ZBT002N-12:58:04 (S)
Server=<VALUE HIDDEN> ZBT002N-12:58:04 (d) Depreciate rather than delete=true
ZBT002N-12:58:04 (t) Test Mode (no updates)=false ZBT000N-12:58:04 Arguments parsed and
validated with 0 errors ZBT000N-12:58:04 Checking for environment variable TMSSSERVERPROXY
ZBT000N-12:58:04 Connection to server (127.0.0.1) successful ZBT000N-12:58:04 Logging on to
TapeTrack Server ZBT000N-12:58:04 Registering Client at MACID(00:8c:fa:8e:02:f5:00:00)
Result(Request OK) ZBT000N-12:58:04 Last Logon was at Tuesday, November 21, 2017 - 12:58:04
from 127.0.0.1 ZBT000N-12:58:04 Welcome to Server: Production ZBT000N-12:58:04 Listing
Customers ZBT000N-12:58:04 Customer List successful: Customers(10) Excluded(0)
ZBT000N-12:58:04 Processing Customer: US02-Los Angeles Data Center (325/1) ZBT000N-12:58:04
Candidate Strategy(LA Recovery Data) Expiry(Monday, October 02, 2017) ZBT000N-12:58:04
Depreciation Result: Request OK ZBT000N-12:58:04 Candidate Strategy(LA Weekly Recovery)
Expiry(Thursday, October 26, 2017) ZBT000N-12:58:04 Depreciation Result: Request OK
ZBT000N-12:58:04 Closing connection to TapeTrack Server ZBT000N-12:58:04 Session Statistics:
ZBT000N-12:58:04 Seconds Connected: 0 ZBT000N-12:58:04 Queries Completed: 9
ZBT000N-12:58:04 Bytes Sent: 700 ZBT000N-12:58:04 Bytes Received: 1,484 ZBT900N-12:58:04
Program Complete ZBT901N-12:58:04 Elapsed time 0 minutes and 0 seconds ZBT991N-12:58:04 CRC
values for this session: 0x7c0fb0bb (0xddfde9c5) ZBT992N-12:58:04 Number of records written: 47
ZBT993N-12:58:04 Number of bytes written: 2,693 ZBT999N-12:58:04 Program ended </sxh>

Changelog

Cannot load rss feed.

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://docs.tapetrack.com/cli/tmss10expiredrstrategies?rev=1551053241>

Last update: **2025/01/21 22:07**

