# TMSS10IRM_Reconcile

## Synopsis

## Description

Processes an Iron Mountain inventory file and produces a TapeTrack scan file to be used for reconciliation.

## Options

- `-I` Iron Mountain account inclusions (default = *)
- `-S` The logon string argument sets the Server logon information.
- `-U` Dates are in MMDDYYYY (US) format not DDMMYYY (default = false)
- `-m` Customer Mapping File, used to map Iron Mountain account numbers to TapeTrack customer-ID's (default = NULL)
- Number of records at beginning of Inventory File to skip=1

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Environment

## Files

**stdout:** Output Reports.
**stderr:** Diagnostic messages.
**stdin:** Program input.

# Example

### Command line syntax

<sxh> TMSS10 </sxh>

### Output

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
**https://docs.tapetrack.com/cli/tmss10irm_reconcile?rev=1527214108**

Last update: **2025/01/21 22:07**