

TMSS10ListHistory

TMSS10ListHistory lists the Storage History for each [Repository](#) within the specified date range.

Synopsis

TMSS10ListHistory [-A attribute index] [-C current location] [-I interface filter] [M mode] [-R date range] [-S logon string] [-T target location] [-V volume filter] [-c configuration file] [-t type] [-u user]

Options

- -A Extended Attribute index (default = 0).
- -C Current [Volume](#) location.
- -I Interface Filter allows filtering of results by Desktop Software Interface.
- -M Report mode (default = 1).
- -R Specifies the date range.
- -S The Logon string argument sets the [Server Logon Information](#).
- -T [Volume](#) target location.
- -V [Volume Filter](#) which can be used to filter the traversal of Customer, Media, Volume, repository and flag values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -t Type allows filtering of results by type of database entry.
- -u User allows filtering of results by [User-ID](#).

Notes

Mode 1
Report-ID: 104

Mode 2
Report-ID: 105

Technical Support

The TapeTrack Software is commercially supported by a full-time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Command line syntax - Mode 1

List history of all LTO Volumes in Customer US02 moved to Repository Offsite by User jsmith between 10 days ago and today.

```
<sxh> TMSS10ListHistory -S user:-password@server -V "US02.LTO.*" -I "**TapeMaster*" -R "*-10:*" -T "OFFS" -u "jsmith" </sxh>
```

Output

<sxh>

System: TapeTrack
Report ID: 104

Report Description: TapeTrack Volume History Report (Mode 1)

Report Notes: From 2020-07-02 to 2020-07-03 (2 days)
Production Time: Friday, July 03, 2020 - 10:01:51 (AUS Eastern Standard Time)
Report Width: 300 bytes

```
Barcode Seque Time User Old New Move Date Container Flags Interface Notes ----- --
----- US02.LTO.000037L6 1
2017-11-18 10:38:45 jsmith LIBR:0 OFFS:0 Permanent None CMn TapeTrack TapeMaster [Target]
US02.LTO.000037L6 2 2017-11-20 12:38:50 jsmith LIBR:0 OFFS:0 Permanent None CnO TapeTrack
TapeMaster [Scanned-In]
-----
```

</sxh>

Command line syntax - Mode 2

List history of all Scanned-In [Media](#) in [Customer](#) US03, in Mode 2, moving to or from [Repositories](#) LIBR and OFFS, within the last month showing Attribute 1 (Long Barcode).

```
<sxh> TMSS10ListHistory -S user:-password@server -M 2 -V US03.*.* -R M-2:m-0 -t *In* -T
"*(OFFS|LIBR)" -C "*(OFFS|LIBR)" </sxh>
```

Output

<sxh>

System: TapeTrack
Report ID: 105

Report Description: TapeTrack Volume History Report (Mode 2)

Report Notes: From 2019-03-01 to 2019-03-31 (31 days)
Production Time: Friday, April 26, 2019 - 08:42:13 (AUS Eastern Standard Time)
Report Width: 152 bytes

Date Time Difference Barcode User Old New Notes Attribute -----
----- 2019-03-26 09:05:23
US03.LT0.X-539AE4EE doco LIBR:0 OFFS:0 [Scanned-In] 12345678901

	09:05:23	S0	US03.LT0.X-CA93B554	doco	
LIBR:0	OFFS:0	[Scanned-In]			12345678902
	09:05:32	S9	US03.LT0.X-539AE4EE	doco	
OFFS:0	LIBR:0	[Scanned-In]			12345678901
	09:05:32	S0	US03.LT0.X-CA93B554	doco	
OFFS:0	LIBR:0	[Scanned-In]			12345678902

</sxh>

Changelog

[Changelog](#)

Cannot load rss feed.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/cli/tmss10listhistory?rev=1599012188>

Last update: **2025/01/21 22:07**

