# TMSS10MoveLocation

TMSS10MoveLocation puts selected Volumes in a move from one Repository to another.

## Synopsis

```
TMSS10MoveLocation [-C move only if container moving] [-S logon string] [-V volume] [-X skip volumes assigned to a container] [-c configuration file] [-e exclude volumes already moving] [-f from repository] [-l apply move lock during move] [-t to repository]
```

## Options

- `-C` Move Volume only when assigned Container is moving and matches move requirements.
- `-S` The Logon string argument sets the Server Logon Information.
- `-V` Volume Filter which can be used to filter the traversal of Customer, Media, Volume, Repository and Flag values.
- `-X` Skip any volumes already assigned to a container.
- `-c` The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced Barcode pre and post processing and route program output to syslogd.
- `-e` Exclude any Volumes that are already in a Move Status.
- `-f` Repository to Move Volumes from.
- `-l` Apply a move-lock to Volumes during move.
- `-t` Repository to move Volumes to.

If an argument value starts with the value `FI:`, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content `ACME_*.*`, specifying `FI:/etc/ACME_volumes` will have the same effect as `-V ACME.*.*`. Using `FI:` to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with *LIST: then rather than matching the literal value, each record in the file specified as *LIST:filename will be tested. If one matches the match will succeed.

2025/01/21 22:08
include page

### Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

### Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

### Environment

### Files

**stdout:** Output Reports.
**stderr:** Diagnostic messages.
**stdin:** Program input.

## Example

#### Command line syntax

Move all US02 LTO Volumes with a Barcode ending in 5L6. <sxh> TMSS10MoveLocation -S user:-password@server -V “US02.LTO.*5L6” -f “LIBR” -t “OFFS” </sxh>

#### Output

<sxh>

```
           System: TapeTrack
```

Report Description: Volumes Moved

```
     Report Notes: From(LIBR) To(OFFS)
  Production Time: Monday, November 27, 2017 - 12:56:38 (AUS Eastern
Daylight Time)
     Report Width: 92 bytes
```

Seq. Barcode From To Container —— ———————- ———————- ———————- ———————- 1 US02.LTO.000015L6 Library Offsite Vault

```
    2 US02.LTO.000035L6    Library              Offsite Vault
    3 US02.LTO.000065L6    Library              Offsite Vault
    4 US02.LTO.000075L6    Library              Offsite Vault
    5 US02.LTO.000085L6    Library              Offsite Vault
    6 US02.LTO.000095L6    Library              Offsite Vault
    7 US02.LTO.000105L6    Library              Offsite Vault
    8 US02.LTO.000115L6    Library              Offsite Vault
    9 US02.LTO.000125L6    Library              Offsite Vault
```

```
   10 US02.LTO.000135L6    Library              Offsite Vault
   11 US02.LTO.000145L6    Library              Offsite Vault
   12 US02.LTO.000155L6    Library              Offsite Vault
   13 US02.LTO.000165L6    Library              Offsite Vault
   14 US02.LTO.000175L6    Library              Offsite Vault
   15 US02.LTO.000185L6    Library              Offsite Vault
   16 US02.LTO.000195L6    Library              Offsite Vault
   17 US02.LTO.000205L6    Library              Offsite Vault
   18 US02.LTO.000215L6    Library              Offsite Vault
   19 US02.LTO.000225L6    Library              Offsite Vault
   20 US02.LTO.000235L6    Library              Offsite Vault
   21 US02.LTO.000245L6    Library              Offsite Vault
   22 US02.LTO.000255L6    Library              Offsite Vault
   23 US02.LTO.000265L6    Library              Offsite Vault
   24 US02.LTO.000275L6    Library              Offsite Vault
   25 US02.LTO.000285L6    Library              Offsite Vault
   26 US02.LTO.000295L6    Library              Offsite Vault
   27 US02.LTO.000305L6    Library              Offsite Vault
   28 US02.LTO.000315L6    Library              Offsite Vault
```

── ──────── ──────── ──────── ────────

</sxh>

## Changelog

Cannot load rss feed.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
**https://docs.tapetrack.com/cli/tmss10movelocation?rev=1623812222**

Last update: **2025/01/21 22:07**