TMSS10PasswordResetDB

Synopsis

```
TMSS10PasswordReset [-i ] [-h database directory] [-p new password] [-u user for reset]
```

Description

Allows a user with administrative rights to reset a users password and restore user access when access has been revoked due to multiple consecutive failed login attempts.


Options

- -h Database home directory.
- -i interactive mode true.
- -p New password value.
- -u User to reset.

Notes

TMSS10PasswordResetDB can be invoked through the script **ResetPassword.bat** which will automatically run TMSS10PaswordResetDB in interactive mode and set the database home directory and working directory via the variables %TMSS10SCRIPTS% and %TMSS10DB% (set at install). This is the recommended method to invoke resetting passwords.

ResetPassword.bat can be found in the **TapeTrack** install directory under **TapeTrack\TapeTrack Framework Server\scripts**



Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Example

Running **TMSS10PasswordReset.bat** to invoke **TMSS10PasswordResetDB**

```
ZBT001N-11:05:41 TMSS10PasswordResetDB (c) GazillaByte 1998-2017
ZBT002N-11:05:41 Compiled Sep  3 2017 at 17:56:27
ZBT010I-11:05:41 this program will reset the password of a User
ZBT006N-11:05:41 Running Under Windows 10 (build 15063 10.00) on platform
x64
ZBT000N-11:05:41 Host is Little Endian
ZBT000N-11:05:41 Host is ASCII
ZBT000N-11:05:41 Binary is 64 bit
ZBT000N-11:05:41 Current Working Directory is C:\Program
Files\TapeTrack\TapeTrack Framework Server\scripts
ZBT004N-11:05:41 Today is Tuesday, September 26, 2017
ZBT005N-11:05:41 Running on Laptop_Senior
ZBT006N-11:05:41 Process ID 19500
ZBT000N-11:05:41 Parsing and validating command arguments
ZBT002N-11:05:41 Program Options:
ZBT002N-11:05:41        (h) Database Home Directory=C:\Program
Files\TapeTrack\TapeTrack Framework Server\var\db
ZBT002N-11:05:41        (i) Interactive=true
ZBT002N-11:05:41        (p) New Password=
ZBT002N-11:05:41        (u) User for reset=
ZBT000N-11:05:41 Arguments parsed and validated with 0 errors
Please enter a value for UserID (or EXIT): dcumming
Please enter a value for Password (or EXIT): newpassword
ZBT000N-11:05:41 Opening Database Environment
ZBT000N-11:05:41 Database Environment Open Status: BDB0062 Successful
return: 0
ZBT000N-11:05:41 Database (Password Database) File(TMSS10.password) Open
Status: BDB0062 Successful Return: 0
ZBT000N-11:05:41 ---------------------------------User Data----------------
--------------------------------
```

```
ZBT000N-11:05:41          Total Failed: 0
ZBT000N-11:05:41   Total Failed (Full): 0
ZBT000N-11:05:41        Last Failed IP:
ZBT000N-11:05:41      Last Failed Time:
ZBT000N-11:05:41 ------------------------------------------------------------
--------------------------------
```

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/cli/tmss10passwordresetdb?rev=1506391720

Last update: **2025/01/21 22:07**