

TMSS10PasswordResetDB

Synopsis

TMSS10PasswordReset [-i] [-h database directory] [-p new password] [-u user for reset]

Description

Allows a user with administrative rights to reset a users password and restore user access when access has been revoked due to multiple consecutive failed login attempts.

Options

- -h Database home directory (default location C:\Program Files\TapeTrack\TapeTrack Framework Server\var\db).
- -i interactive mode true.
- -p New password value.
- -u User to reset.


Notes

TMSS10PasswordResetDB can be invoked through the script ResetPassword.bat which will:

1. Call TMSS10PaswordResetDB in interactive mode,
2. Set the database home directory path and working directory via the variables %TMSS10SCRIPTS% and %TMSS10DB% (set when installing the Framework Server).



ResetPassword.bat can be found in the **TapeTrack** install directory under TapeTrack\TapeTrack Framework Server\scripts



Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

- 1. **zero** Program has ended successfully.
- 2. **non-zero** Program has not ended successfully.

Environment

Example

Running TMSS10PasswordReset.bat to invoke TMSS10PasswordResetDB.

```
<sxh> ZBT001N-11:05:41 TMSS10PasswordResetDB © GazillaByte 1998-2017 ZBT002N-11:05:41
Compiled Sep 3 2017 at 17:56:27 ZBT010I-11:05:41 this program will reset the password of a User
ZBT006N-11:05:41 Running Under Windows 10 (build 15063 10.00) on platform x64
ZBT000N-11:05:41 Host is Little Endian ZBT000N-11:05:41 Host is ASCII ZBT000N-11:05:41 Binary is
64 bit ZBT000N-11:05:41 Current Working Directory is C:\Program Files\TapeTrack\TapeTrack
Framework Server\scripts ZBT004N-11:05:41 Today is Tuesday, September 26, 2017
ZBT005N-11:05:41 Running on Laptop_Senior ZBT006N-11:05:41 Process ID 19500
ZBT000N-11:05:41 Parsing and validating command arguments ZBT002N-11:05:41 Program Options:
ZBT002N-11:05:41 (h) Database Home Directory=C:\Program Files\TapeTrack\TapeTrack Framework
Server\var\db ZBT002N-11:05:41 (i) Interactive=true ZBT002N-11:05:41 (p) New Password=
ZBT002N-11:05:41 (u) User for reset= ZBT000N-11:05:41 Arguments parsed and validated with 0
errors Please enter a value for UserID (or EXIT): dcumming Please enter a value for Password (or
EXIT): newpassword ZBT000N-11:05:41 Opening Database Environment ZBT000N-11:05:41 Database
Environment Open Status: BDB0062 Successful return: 0 ZBT000N-11:05:41 Database (Password
Database) File(TMSS10.password) Open Status: BDB0062 Successful Return: 0 ZBT000N-11:05:41
-----User Data----- ZBT000N-11:05:41 Total Failed: 0
```

ZBT000N-11:05:41 Total Failed (Full): 0 ZBT000N-11:05:41 Last Failed IP: ZBT000N-11:05:41 Last Failed Time: ZBT000N-11:05:41 ----- </sxh>

Changelog

Cannot load rss feed.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/cli/tmss10passwordresetdb?rev=1554253721>

Last update: **2025/01/21 22:07**

