

TMSS10PasswordResetDB

Synopsis

TMSS10PasswordReset [-i] [-h database directory] [-p new password] [-u user for reset]

Description

Allows a user with administrative rights to reset a users password and restore user access when access has been revoked due to multiple consecutive failed login attempts.


Options

- -h Database home directory (default location C:\Program Files\TapeTrack\TapeTrack Framework Server\var\db).
- -i interactive mode true.
- -p New password value.
- -u User to reset.

Notes

To execute TMSS10PasswordResetDB automatically in interactive mode, run ResetPassword.bat from the TapeTrack install directory TapeTrack\TapeTrack Framework Server\script.

On execution of ResetPassword.bat you will be presented with a Command Prompt window asking you if you wish to proceed, press any key to continue or press Ctrl+C (or close window) to exit script before any changes are made.

A screenshot of a Windows Command Prompt window. The title bar shows 'cmd.exe' and the path 'C:\WINDOWS\system32\cmd.exe'. The command prompt displays a warning message in red text: "***WARNING: This script will reset a TapeTrack User Password (unconditionally)". Below this, it says "If you don't want to do this might be time to Control-C now!". At the bottom, it prompts "Press any key to continue . . .". The background of the command prompt is black, and the text is white, with the warning message highlighted in red.


```
cmd.exe C:\WINDOWS\system32\cmd.exe
***WARNING: This script will reset a TapeTrack User Password (unconditionally)
If you don't want to do this might be time to Control-C now!
Press any key to continue . . .
```

Continuing the script will open a further Command Prompt and you will be asked to input User (User-ID) to reset the password for. Entering EXIT instead of a User-ID will exit the script without making any changes.

Enter Password value for the User and hit Enter on the keyboard. Entering EXIT instead of a Password will exit the script without making any changes.

C:\Program Files\TapeTrack\TapeTrack Framework Server\bin\tapetrack\TMSS10PasswordResetDB.exe

```
ZBT001N-12:17:41 TMSS10PasswordResetDB (c) GazillaByte 1998-2019
ZBT002N-12:17:41 Compiled Mar 30 2019 at 18:17:57
ZBT010I-12:17:41 this program will reset the password of a User
ZBT006N-12:17:41 Running Under Windows 10 (build 17134 10.00) on platform x64
ZBT000N-12:17:41 Host is Little Endian
ZBT000N-12:17:41 Host is ASCII
ZBT000N-12:17:41 Binary is 64 bit
ZBT000N-12:17:41 Current Working Directory is C:\Users\Scott\Desktop\GazillaByte\Code F
ZBT004N-12:17:41 Today is Wednesday, April 03, 2019
ZBT005N-12:17:41 Running on Laptop_Senior
ZBT006N-12:17:41 Process ID 15676
ZBT000N-12:17:41 Parsing and validating command arguments
ZBT002N-12:17:41 Program Options:
ZBT002N-12:17:41      (h) Database Home Directory=C:\Program Files\TapeTrack\TapeTrack
xt 2> err.txt
ZBT002N-12:17:41      (i) Interactive=true
ZBT002N-12:17:41      (p) New Password=
ZBT002N-12:17:41      (u) User for reset=
ZBT000N-12:17:41 Arguments parsed and validated with 0 errors
Please enter a value for UserID (or EXIT): username
Please enter a value for Password (or EXIT): password
```



Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

- 1. **zero** Program has ended successfully.
- 2. **non-zero** Program has not ended successfully.

Environment

Example

Running TMSS10PasswordReset.bat to invoke TMSS10PasswordResetDB.

```
<sxh> ZBT001N-11:05:41 TMSS10PasswordResetDB © GazillaByte 1998-2017 ZBT002N-11:05:41
Compiled Sep 3 2017 at 17:56:27 ZBT010I-11:05:41 this program will reset the password of a User
ZBT006N-11:05:41 Running Under Windows 10 (build 15063 10.00) on platform x64
ZBT000N-11:05:41 Host is Little Endian ZBT000N-11:05:41 Host is ASCII ZBT000N-11:05:41 Binary is
64 bit ZBT000N-11:05:41 Current Working Directory is C:\Program Files\TapeTrack\TapeTrack
Framework Server\scripts ZBT004N-11:05:41 Today is Tuesday, September 26, 2017
ZBT005N-11:05:41 Running on Laptop_Senior ZBT006N-11:05:41 Process ID 19500
ZBT000N-11:05:41 Parsing and validating command arguments ZBT002N-11:05:41 Program Options:
ZBT002N-11:05:41 (h) Database Home Directory=C:\Program Files\TapeTrack\TapeTrack Framework
Server\var\db ZBT002N-11:05:41 (i) Interactive=true ZBT002N-11:05:41 (p) New Password=
ZBT002N-11:05:41 (u) User for reset= ZBT000N-11:05:41 Arguments parsed and validated with 0
errors Please enter a value for UserID (or EXIT): dcumming Please enter a value for Password (or
EXIT): newpassword ZBT000N-11:05:41 Opening Database Environment ZBT000N-11:05:41 Database
Environment Open Status: BDB0062 Successful return: 0 ZBT000N-11:05:41 Database (Password
Database) File(TMSS10.password) Open Status: BDB0062 Successful Return: 0 ZBT000N-11:05:41
-----User Data----- ZBT000N-11:05:41 Total Failed: 0
ZBT000N-11:05:41 Total Failed (Full): 0 ZBT000N-11:05:41 Last Failed IP: ZBT000N-11:05:41 Last
Failed Time: ZBT000N-11:05:41 ----- </sxh>
```

Changelog

Cannot load rss feed.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/cli/tmss10passwordresetdb?rev=1554256038>

Last update: **2025/01/21 22:07**

