

TMSS10ProcessMailDB

TMSS10ProcessMailDB [-F Mail From Address] [-M Mail Server] [-P Mail Server] [-V Verbose Mode] [-c Config File] [-h Database Home Director] [-m Maximum number of emails per execution] [-n Mail From Name] [-p Purge erroneous emails]

Description

TMSS10ProcessMailDB will send emails to all TapeTrack Users with queued messages.

Options

- F Mail From Address (default = tapetrack@localhost).
- M Mail Server (default = localhost).
- P Mail Server Port (default = 25).
- V Verbose Mode (default = false).
- c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced barcode pre and post processing and route program output to syslogd.
- h Database Home Directory.
- m Maximum number of emails per execution (default = 5).
- n Mail From Name (default = TapeTrack Server).
- p Purge erroneous emails (default = false).

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://docs.tapetrack.com/cli/tmss10processmaildb?rev=1563495881>

Last update: **2025/01/21 22:07**

