TMSS10Reconcile

Synopsis

```
TMSS10Reconcile [-B bypass confirmation] [-C certify] [-F don't fix surplus volumes] [-R Subject repository] [-S logon string] [-V volume filter] [-a add fully qualified volumes] [-c configuration file] [-d certificate description] [-e csv error file location] [-l input scan list] [-m minimum loaded volumes to continue]
```

Description

TMSS10Reconcile performs a batch reconciliation on a Repository.

Options

- `-B` Bypass confirming Volume at Target Repository]. * ''-C'' Certify [[object:volume|Volumes (default = false).
- `-F` Don't fix surplus Volumes by moving them to the Scan Repository] and back (default = false). * ''-R'' Subject [[object:repository|Repository] for reconciliation. * ''-S'' The logon string argument sets the [[cli:server_argument|Server logon information.
- `-V` Volume Filter which can be used to filter the traversal of Customer, Media, Volume, Repository] and flag values. * ''-a'' Add any fully qualified [[object:volume|Volume] in the scanfile/not in TapeTrack (default = false). * ''-c'' The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and [[object:volume|Volumes, perform advanced barcode pre and post processing and route program output to syslogd.
- `-d` Certificate description.
- `-e` CSV error file location.
- `-l` Input scan file list to reconcile against.
- `-m` Minimum loaded Volumes to continue to execute process (default = 10).

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

Exit Statuses

1. **zero** Program has ended successfully.

2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.
stderr: Diagnostic messages.
stdin: Program input.

Example

Command line syntax

<sxh> TMSS10Reconcile -S user:-password@server -R “OFFS” -l “C:\Users\GazillaByte\reconcile_2017-11-29.txt” -V “US04.LTO.*</sxh>

Output

The output of the TapeTrack Reconciliation program is described in detail on the page Reconciliation Report

Changelog

Cannot load rss feed.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/cli/tmss10reconcile?rev=1563496263

Last update: **2025/01/21 22:07**