TMSS10VolumeRename

This program renames a volume or list of volumes

Synopsis

```
TMSS10VolumeRename [-S logonstring] [-V volumefilter] [-C new Customer ID] [-M new Media ID] [-N new Volume ID] [-c configfile] [-l Live mode]
```

Description

`TMSS10VolumeRename` will rename the volume ID of a current volume or list of volumes, keeping history records associated with that volume/s.

Options

The options which apply to the TMSS10VolumeRename command are:

- `-S` The logon string argument sets the Server logon information (see Command Line Server Argument).
- `-V` The volume filter argument sets the Volume Filter which can be used to filter the traversal of Customer, Media and Volume values.
- `-C` New Customer ID.
- `-M` New Media ID.
- `-N` New Volume ID.
- `-c` Configuration file.
- `-l` Live mode.

Exit Status

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

- `stdout` Output Reports.
- `stderr` Diagnostic messages.

Examples

To change one volume in Customer ID US0

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/cli/tmss10volumerename?rev=1499872805

Last update: **2025/01/21 22:07**