

VEEAM Sync Cookbook

<sxh>

```
# Connect to Veeam database SetODBC("DSN=veeam2"); # Extract data SetSQL("SELECT
[barcode],[media_pool_id],[last_write_time] FROM [VeeamBackup].[dbo].[Tape.tape_mediums]");

# Set Customer-ID SetLiteral(CUSTOMER, "CUST"); # Set media to LTO as only one media type in
report SetLiteral(MEDIA, "LTO");

# Set place marker for Description SetLiteral(DESCRIPTION, "????"); # Set place marker for
Repository SetLiteral(REPOSITORY, "????");

# Extract Volume-ID from column 1 Extract(VOLUME, 1, 10, 0); # Extract media pool-id for translation
from column 2 Extract(USER1, 2, 50, 0); # Extract last writetime from column 3 Extract(WRITETIME, 3,
50, 0);

# Set writetime format SetWriteTimeFormat("Y-m-d H:M:S");

# Add translations to set Description based off Media Pool-ID AddTranslation2(DESCRIPTION, USER1,
"4C6BFE92-5C7F-BFE9-A18E-B52A8049C167", "Alpha media pool"); AddTranslation2(DESCRIPTION,
USER1, "601ED8E9-647E-A19E-B18E-F6D66B0EE584", "Bravo media pool");
AddTranslation2(DESCRIPTION, USER1, "375TED22-7654-B34R-67GH-TMX642021SEE", "Charlie
media pool"); AddTranslation2(DESCRIPTION, USER1, "

# Add translations to set Repository based off Media Pool-ID # Move matching media pools offsite
AddTranslation2(DESCRIPTION, USER1, "4C6BFE92-5C7F-BFE9-A18E-B52A8049C167", "OFFS");
AddTranslation2(DESCRIPTION, USER1, "601ED8E9-647E-A19E-B18E-F6D66B0EE584", "OFFS");
AddTranslation2(DESCRIPTION, USER1, "375TED22-7654-B34R-67GH-TMX642021SEE", "OFFSI");

# Any other media pool place in library AddTranslation2(REPOSITORY, USER1, "*", "LIBR");

# Stop any movement from racking back to offsite AddSkipOnRepositoryChange("OFFS", "RACK",
"*"); </sxh>
```

[cookbook](#)

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/cookbook/veeam?rev=1613517209>

Last update: **2025/01/21 22:07**

