

Moving Volumes Back To Current Repository Before Confirming At Target repository


In this example we have a volume 000001L3 moving from the Current repository Library (LIBR) to Target repository Offsite (OFFS), with flags CMnNt (Confirmed, Moving, no slot, Description, Do not assign slot).



Moving volume 000001L3 back to the repository Library (LIBR) without first confirming it at repository will evoke the **Failed Operations** window, displaying the error **Update OK but marked for followup**, volume ID, date and time.




From this window using the right click menu, volume ID's can be copied to windows clipboard or exported to file for further investigation at a later date.




Click 0K to close the **Failed Operations** window to continue.

Volume 000001L3 will now have a W (Warning) flag and be highlighted in Orange.



The W flag can be removed by either:

- Selecting the volume by clicking on it in the Inventory window and pressing F2.
- Selecting the volume by clicking on it in the Inventory window, right click and select `Special Operations` → `Modify` → `Flags`. From the **Modify Flags** window, expand the `Warning` menu item and from the drop down menu item `Value` select **Remove Flag** and click `Apply Updates` to close the window and remove the W flag.



** Place the volume into a move status to a repository other than the current repository.*

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/daytoday/moving_volumes_error_w?rev=1524531048

Last update: **2025/01/21 22:07**