

Scan-In

The TapeTrack Lite Scan In function allows you Scan-In [Volumes](#) in a move status to the [Currently Selected Repository](#).

TapeTrack Lite will only allow you to initiate the Scan-In task if there are [Volumes](#) currently in an incoming status.

Scan-In Process



The Scan-In video is intended as a companion to the instructions.

Best results are obtained by reading the instructions and then viewing the implementation of the process via the video

Select Scan-In

Select Scan - In from the **Task Menu** and click Next to continue.



Options

This will open the **Options** window. If required you can set the location for the log files to be written to, or leave the default.

To change the default directory, click in the field to the right of the Log File Folder and click on the (...) button and select directory.

Click Next to continue.



Customer Selection

Select the [Customer or account](#) that you want to manage tapes for by double-clicking the [Customer-ID](#) or left-clicking the [Customer-ID](#) and clicking Next at the bottom of the page to continue.

TapeTrack Lite™ - Customer Selection

Instructions

The Customer Selection screen allows you to select one TapeTrack Customer that will be the subject of operations in subsequent screens.
You may select a Customer by double clicking the Customer, or by clicking the Customer and pressing the Next button.

Customer	Volumes	Moves
New York Data Center	56	0
Los Angeles Data Center	23	7
North Carolina Data Center	56	23
Nashville Data Center	52	9
	187	39

☒ Remember previously selected Customer

< Back

Next >

Cancel



Checking Remember previously selected Customer will retain the currently selected Customer for future Lite functions.

This can be removed at any time by unchecking Remember previously selected Customer

Scan In Location

In the **Scan-In Location** window select a Repository to Scan-In the Volumes to by double-clicking on the required Repository or left-click to select the required Repository and click Next to proceed.



Scan In Volumes

This opens the **Scan-In Volumes** window and the **Scan Input** window.

The **Scan-In Volume** window displays [Customer](#), [Media](#) and [Volume](#) information.

TapeTrack Lite™ - Scan-In Volumes

Instructions
The Scan-In Volumes screen allows you to Scan-In Volume items. When you scan each item it will be confirmed into its target Repository.

Customer: **US01** New York Data Center **A**
To Repository: **LIBR** Library

Volume-ID	From	Out	Flags	Location
US01.LTO.000018L6	Offsite Vault	No	CMnZ	
US01.LTO.000019L6	Offsite Vault	No	CMnZ	
US01.LTO.000029L6	Offsite Vault	No	CMn	

Scanned Items

- US01.LTO.000017L6 **C**
- US01.LTO.000016L6

Scan-In List (3) Scan-In Log

< Back Next > Cancel

Notes:

- **A** Customer-ID and Description, Repository-ID and Description where Volumes are being Scanned-In to.
- **B** The Volumes to be Scanned-In.
- **C** Volumes Scanned-In.

Scan-In the Volumes using your preferred scanning method. Any scan errors are recorded in the Scan-In Log tab.

When all Volumes are Scanned-In, close **Scan-In** window by clicking X at top right of the window.

Click Next on the **Scan-In Volumes** window to continue.

This will bring up the **Complete** window, from here you can:

- Click View Log File to view the log file of the last completed process..
- Click Print Log File to save a PDF of the log file to print from your PDF viewer.
- Click About this Software to view product and support (email, phone & website) information.
- Click Back button to return to start menu and select another task.
- Click Finish button or X at the top right of the window to exit TapeTrack Lite.



2025/01/21 22:08

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/lite/function_scanning_in?rev=1574637229

Last update: **2025/01/21 22:07**

