
# Built In Repositories

TapeMaster has 3 built in repositories, which are hidden by default.

To display the hidden repositories, navigate to the Options Tab in the Media Type Properties Window and set `Show Built In Repositories` to **true**. The repositories **Initial**, **Next** and **Home** will be displayed in the repository window.






Built-In Repositories often do not exist as locations, but they use settings in the Options Tab of the Volume Properties Window to dictate movements.

## Built In Repository Functions


### Initial Repository

If no repository is set in the `Default Repository` field in the Media Type Properties Window's `Options` Tab, newly added Volumes will be allocated to the Initial Repository.




Any other repository may be set as the default location for new volumes by right clicking the required repository and selecting `Make Default Repository`




## Home Repository

Drag and dropping Volumes to the Home Repository will move them to the repository set as the Home Repository in the Options Tab of the Volume Properties Window.

Home Repositories can be set in the Options Tab of the Volume Properties Window or by right-clicking Volumes in the Volume List, then selecting Special Operations, Modify, and Home Repository. Next Repository - Dragging Volumes to the Next Repository will move them to the repository set as the Next Repository in the Options Tab of the Repository Properties Window of the Volume's current location.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
**https://docs.tapetrack.com/master/built_in_repositories?rev=1516333558**

Last update: **2025/01/21 22:07**