


Built In Repositories

TapeMaster has 3 built in repositories, which are hidden by default.

To display the hidden repositories, navigate to the Options Tab in the Media Type Properties Window and set Show Built In Repositories to **true**. The repositories **Initial**, **Next** and **Home** will be displayed in the repository window.



Built-In Repositories often do not exist as locations, but they use settings in the Options Tab of the Volume Properties Window to dictate movements.

Built In Repository Functions

Initial Repository

If no repository is set in the Default Repository field in the Media Type Properties Window's Options Tab, newly added Volumes will be allocated to the Initial Repository.

Edit Media: LTO Cartridge

Identity

Volume-ID Building

Options

Hide Media Type	False
Internal	True
Maximum Volumes	0
Maximum Repositories	0
Allowable Volume-IDs	
Default Media Type	False
Auto Simple Management	False
Auto Container	False
Stock Controlled	False
Auto Stock Selection	False
Relaxed Barcode Matching	False
No Move-back Warning	False
Lock Volumes	False
No HealthCheck	False
Show BuiltIn Repositories	True
Remove barcode suffix	
Barcodes use Modulo43	False
Default Repository	<No Selection>

Inventory

DR Strategies

Data Clusters


Simple Management

Uploaded Files

Consignments

Volumes							
ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
Enter text h...	Enter text here	Enter text ...	Enter ...	Enter t...	Enter t...	Enter t...	Enter ...
000001L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000002L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000003L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000004L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000005L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000006L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000007L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000008L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000009L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000010L5	Initial Repository		CnN		Unspecified	Unassigned	Permanent
000011L5	Initial Repository		Cn		Unspecified	Unassigned	Permanent
000012L5	Initial Repository		Cn		Unspecified	Unassigned	Permanent


Any other repository may be set as the default location for new volumes by right clicking the required repository and selecting Make Default Repository




Home Repository

Drag and dropping [volumes](#) to the Home Repository will move them to the repository set as the Home Repository in the [Volume Properties Window Options](#) tab.


A [volume's Home Repository](#) can be set in the Volume Properties Window Options Tab.



or by right-clicking Volumes in the Volume List, then selecting Special Operations, Modify, and Home Repository.



Select repository from popup window dropdown box.



Next Repository

Dragging Volumes to the Next Repository will move them to the repository set as the Next Repository in the Options Tab of the Repository Properties Window of the Volume's current location.

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/master/built_in_repositories?rev=1516339519

Last update: **2025/01/21 22:07**