
Built In Repositories

TapeMaster has 3 built in Repositories, which are hidden by default.

Right-click on the required Media type and select `Properties`.

Select the `Options` tab in the Media Type Properties window and set `Show Built In Repositories` to **true**.

The Repositories **Initial**, **Next** and **Home** will be displayed in the Repository window.





The Built-In Repositories often do not exist as locations, but are used as settings in the Options Tab of the Volume Properties Window to dictate movements.

Built In Repository Functions


Initial Repository

If `No Selection` is set in the `Default Repository` field in the Media Type Properties Window's `Options` Tab, newly added Volumes will be allocated to the Initial Repositories.





Any other Repositories may be set as the default location for new Volumes by right-clicking the required Repositories and selecting `Make Default Repository`




Home Repository

Dragging and dropping Volumes to the Home Repository places them into a move status to the Repository set as the Home Repository in the Volume Properties Window `Options` tab.


An example for using this function would be Volumes returning from offsite storage back on-site and needing to be stored in different racks (repositories). Having the required rack set for each Volume allows you to drag and drop all the Volumes on the Home Repository and letting TapeTrack sort which repository each of the Volumes belong in, saving you having to separate each group of Volumes for each repository manually.

A Volume's **Home Repository** can be set in the Volume Properties Window `Options` Tab.




or by right-clicking Volumes in the Volume List, then selecting Special Operations, Modify, and Home

Repository. Selecting a range of Volumes allows you to assign multiple Volumes Home Repository in the one operation.



Select Repository from popup window drop-down box.



Next Repository

Drag and dropping Volumes to the next Repository places them into a move status to the Repository set as the Next Repository in the Volume Properties Window `Options` tab.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/master/built_in_repositories?rev=1571267258

Last update: **2025/01/21 22:07**