


# Container Assignment Utility

The Container Assignment Utility allows volumes to be assigned to a barcoded container through the use of your preferred [scanning method](#).

Volumes can also be assigned to required containers by [scanning directly to a container](#) via the container's properties container contents tab.

## Assigning Volumes To A Container

To open the Container Assignment Utility select, from the main menu, Tools → Container Assignment Utility.



This will open the Container Assignment Utility window, which by default, will open the scan input window.

Container Assignment Utility

Container: None

Totals

|          |   |
|----------|---|
| Existing | 0 |
| New      | 0 |
| Total    | 0 |

Existing Contents

| Volume |
|--------|
|--------|

New Contents

| Volume | Count | Exists |
|--------|-------|--------|
|--------|-------|--------|

Scan to Assign

Barcode

Customer

Media Type

Volume-ID

Message

There are no items to display in this list.

Messages

Scan

Apply

Cancel



If scanning unqualified barcodes (ie CONT001 not US01.CONT.CONT001) you will need to make sure the customer ID and Media-ID are correct in the defaults of the scan window for both the containers and volumes.

Using your preferred [scanning method](#), scan the container you wish to assign the volumes to and then the volumes. Any volumes scanned before a container are in error of the procedure and will be disregarded.

Scan to Assign

  
000002L6

| Barcode             | Customer | Media Type | Volume-ID | Message    |
|---------------------|----------|------------|-----------|------------|
| 000002L6            |          |            | 000002L6  | Request OK |
| 000001L6            |          |            | 000001L6  | Request OK |
| 000000L6            |          |            | 000000L6  | Request OK |
| US01 .CONT .CONT001 |          |            | CONT001   | Request OK |

Messages (4)

Defaults

|             |      |
|-------------|------|
| Customer-ID | US01 |
| Media-ID    | LTO  |


Options

|                   |       |
|-------------------|-------|
| Save Defaults     | True  |
| Enable Sounds     | False |
| Edit              |       |
| Multiline Records | False |

When you have scanned all volumes assigned to the current container, close the scan in window by clicking the X at the top right.

Click **Apply** to execute container assignment and yes to confirmation.

Alternatively click **Cancel** and yes to confirmation to cancel the volume assignment to that container.



Volumes will then move from the **New Contents** column to the **Existing Contents** column.

Container Assignment Utility

Container

US01.CONT.CONT001

Totals

|          |   |
|----------|---|
| Existing | 3 |
| New      | 0 |
| Total    | 3 |

Existing Contents

Volume

US01.LTO.000002L6

US01.LTO.000001L6

US01.LTO.000000L6

New Contents

| Volume                                      | Count | Exists |
|---------------------------------------------|-------|--------|
| There are no items to display in this list. |       |        |

Scan

Apply

Cancel

To assign volumes to another container click Scan and follow the above procedure.

When finished click the X at the top right corner to exit the Container Assignment Utility.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

[https://docs.tapetrack.com/master/container\\_assignment?rev=1551303590](https://docs.tapetrack.com/master/container_assignment?rev=1551303590)

Last update:

**2025/01/21 22:07**

