



Data Clusters



Adding A Data Cluster

To add a Data Cluster: In TapeMaster, open the Media type of the required [Customer](#) and select the Data Clusters Administrative Tab.

Right-click inside the Data Clusters Administrative Tab and select Add or use the Insert key on the keyboard.



Fill out a brief description of this Data Cluster and, if necessary, insert a Parent Data Cluster for this Data Cluster to be nested under.

Edit Cluster: 1

Identity

Attributes

Customer-ID

US02

Los Angeles Data Center

Index

1

Description

MONDAY_WEEKLY_BACKUPS

Parent

☒ Cluster Active

Update Statistics

Add Volumes to the Data Cluster.

Adding Multiple Volumes

From the Inventory tab of the required [Customers](#) media type: Select the [Volumes](#) in the [Volume List](#). Right-click, select Special Operations → Modify → Data Cluster.

InventoryDR StrategiesData ClustersSimple ManagementUploaded Files

Volumes

Los Ange

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
Enter text h...	Enter text here	Enter text ...	Enter ...	Enter t...	Enter t...	Enter t...	Enter text
000000L6	Offsite Vault		CnO		Unspecified	Unassigned	Permanen
000001L6	Offsite Vault [000001]	Library	cCEMnN	H1:13:19	Unspecified	Unassigned	Permanen
000002L6	Library		CEnQ		Unspecified	Unassigned	Permanen
000003L6			CEnu		Unspecified	Unassigned	Permanen
000004L6			CEhnNt		Unspecified	Unassigned	Permanen
000005L6		[6]	CDO		Unspecified	Unassigned	Monday, Ja
000006L6		[02]	CDO		Unspecified	Unassigned	Monday, F
000007L6					Unspecified	Unassigned	Permanen
000008L6					Unspecified	Unassigned	Permanen
000009L6					Unspecified	Unassigned	Permanen
000010L6					Unspecified	Unassigned	Permanen
000011L6					Unspecified	Unassigned	Permanen
000012L6					Unspecified	Unassigned	Permanen
000013L6					Unspecified	Unassigned	Permanen
000014L6					Unspecified	Unassigned	Permanen
000015L6					Unspecified	Unassigned	Permanen
000016L6	Offsite Vault [000				Unspecified	Unassigned	Permanen
000017L6	Offsite Vault [000				Unspecified	Unassigned	Permanen
000018L6	Offsite Vault [000				Unspecified	Unassigned	Permanen
000019L6	Offsite Vault [000				Unspecified	Unassigned	Permanen
000020L6	Offsite Vault [000				Unspecified	Unassigned	Permanen

AddDeleteEditExportFindFavoritesPrintPropertiesSelectSpecial OperationsView

Add NoteCheck for Duplicate within CustomerConfirmContainerDetect missing Volumes in sequenceModifyScanSearch Next Move DatesShow Next Move in Month ViewSlots


Assign to new/no containerData ClusterHome RepositoryFlagsNext Move

In the Data Cluster Selection window type in the Data Cluster that these [Volumes](#) should be

https://docs.tapetrack.com/

Printed on 2026/09/20 23:59


associated with, and select from the clusters in the displayed list.



Click OK to save.

Adding Single Volume

Double-click or Right-click and select Properties on a [Volume](#) in the [Volume List](#) to launch the [Volume Properties Window](#).



Select the Options tab. At the top will be a field called **Data Cluster** with a drop-down menu. Select

the Data Cluster to associate this [Volume](#) with and click Save.

Edit Volume: 000000L6

Identity

Target Location

Current Location

Scanned Location

Notes

History

Datasets

Attributes

VeriScore™

DR Strategies

Options

Catalog

Data Cluster

<No Selection>

Stage

<No Selection>

MONDAY_WEEKLY_BACKUPS

⊕ Dates

⊕ Occurrences

⊕ Home Locations

⊕ Flags

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://docs.tapetrack.com/master/data_cluster?rev=1539825219

Last update:

2025/01/21 22:07

