


Adding and Maintaining Disaster Recovery Strategies

A Disaster Recovery Strategy, referred to in TapeTrack as a “DR Strategy”, is a list of [Volumes](#) necessary to restore a system back to a given time in the event of catastrophic system failure. Typically, these DR Strategies are automated through TapeTrack Sync's integration with your back-up software; however, they can be manually created as well.

Creating a DR Strategy


DR Strategies can be manually created in the DR Strategies Administration Tab by: Right-clicking and selecting Add or by pressing the **Insert** key on the keyboard. This will launch the DR Strategy Creation window.




Identity

The DR Strategy Creation window will prompt for a description and provide tabs that offer the ability to take notes regarding a DR Strategy and also some various options. A full summary of these options can be found under the Edit DR Strategy page.

To create a DR Strategy, enter a description and click “Save”. The new DR Strategy will appear in the DR Strategies Administration Tab.



Once the [volumes](#) are moved to an offsite [Repository](#), the DR Strategy will gain a status of "OK".



Notes

The Notes Tab provides an area to write notes about a DR Strategy. This can include emergency contacts, plans, instructions, etc.


Options

The Options Tab provides four different options that govern how the DR Strategy behaves.

- **Depreciated:** When a DR Strategy is depreciated, it is considered no longer active. This means it no longer affects the [Library Health](#) score but has not yet been deleted.
- **Expiry:** The Expiry date sets the date for when the DR Strategy is considered no longer relevant or useful.
- **Target Repository:** The Target Repository is the [Repository](#) that [Volumes](#) in the Item List are

sent to when the DR Strategy is executed.


- **Latency:** Latency sets a certain number of minutes before the DR Strategy is included in the [Library Health](#) Score. Since a DR Strategy is considered to have errors whenever a [Volume](#) in the Item List is not in a [Repository](#) set as offsite, the latency allows time for [Volumes](#) to arrive at the offsite [Repository](#) before affecting [Library Health](#).




Field	Value
Depreciated	False
Expiry	Tuesday, April 03, 2018
Target Repository	LIBR
Latency	480

Deleting a Strategy

To remove a DR strategy, right click the required strategy, or strategies, and select Delete.



Click **Delete This item** to delete one at a time or **Delete All Items** to delete a range of strategies.



From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/master/disaster_recovery?rev=1520991834

Last update: **2025/01/21 22:07**

