
Generation Dispersement Table

The Generation Dispersement function displays a table of selected volumes based on their generation (ie. LTO 1, LTO 2) and current scratch (Z flag) status.


View Generation Dispersement Table

Select volumes to be included in table by either right click in the volume window and `Select` → `All` or Ctrl + A to select all, or range select by shift + click and/or Ctrl + click.

Right-click highlighted volumes and select `View` → `Generation Dispersement Table`.




Select from the popup whether you want the currently set attribute values to be included in the displayed table.



Include Currently Set Attributes In Table


Selecting Yes to include the currently set attribute will display the selected volume quantities in the **Generation Dispersement Table** separated by current repository, attribute value, scratch status and volume generation (both scratch and non scratch).



Repository	Attribute	Total Z	Total !Z	Gen-0 Z	Gen-0 !Z	Gen-3 Z	Gen-3 !Z	Gen-5 Z	Gen-5 !
Enter text here	Enter text h	En...	En...	En...	En...	En...	En...	En...	En...
Library	Server 1	4	0	0	0	1	0	3	
Library	Server 2	6	0	0	0	0	0	5	
Offsite Vault	Server 2	1	0	0	0	0	0	0	
Offsite Vault	Server 1	2	0	0	0	0	0	1	
Scratch Volumes	Server 2	5	0	0	0	0	0	2	
Scratch Volumes	Server 1	6	0	0	0	0	0	5	
Total		24	0	0	0	1	0	16	

Exclude Currently Set Attributes In Table

Selecting No to include the currently set attribute will display the selected volume quantities in the **Generation Dispersement Table** separated by current repository, scratch status and volume generation.



Close the report by clicking the X at the top right corner.

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/master/generation_dispersement?rev=1528331281

Last update: **2025/01/21 22:07**