

Remove Volumes From Container

Remove Volumes Via The Volume Media Inventory Window

[master_volume_from_container.mp4](#)


Select a volume or range of volumes (Shift+Click and or Ctrl+Click) from the inventory window to remove from container/s. Volumes assigned to different containers can be selected and removed at the same time, there is no need to select one container at a time.

The screenshot shows the TapeTrack TapeMaster™ (GazillaByte) application window. The 'Inventory' tab is active, displaying a list of volumes. The 'Volumes' section is titled 'Los Angeles Data Center LTO Cartridge'. The table below represents the data shown in the interface:


ID	Current Location	Target Location	Flags	Container	Description
000000L6	GemTrac		Cn	Unassigned	
000001L6	Library		Cn	Unassigned	
000002L6	Offsite Vault		CnO	Unassigned	
000003L6	Offsite Vault		CnNO	US02.CONT.CONT001	Friday Backup
000004L6	Offsite Vault		CnNO	US02.CONT.CONT001	Friday Backup
000005L6	Offsite Vault		CnNO	US02.CONT.CONT001	Friday Backup
000006L6	Offsite Vault		CnNO	US02.CONT.CONT001	Monthly January
000007L6	Offsite Vault		CnO	Unassigned	
000008L6	GemTrac		Cn	Unassigned	
000009L6	Library		CnN	Unassigned	Friday Backup
000010L6	Offsite Vault		CnO	Unassigned	
000011L6	Library	Offsite Vault	CMn	Unassigned	
000012L6	Library	Offsite Vault	CMn	Unassigned	
000013L6	Library		Cn	Unassigned	
000014L6	Library	Offsite Vault	CMn	Unassigned	
000015L6	GemTrac		Cn	Unassigned	
000016L6	GemTrac		Cn	Unassigned	
000017L6	GemTrac	Library	CMn	Unassigned	
000018L6	GemTrac	Library	CMn	Unassigned	
000019L6	GemTrac	Library	CMn	Unassigned	
000020L6	GemTrac	Library	CMn	Unassigned	

At the bottom of the window, the 'Repositories' section shows icons for GemTrac, Library, and Offsite Vault. The status bar at the bottom indicates 'Connection 127.0.0.1 uses AES 256 bit encryption' and a 'Tape' icon.

Right click on the highlighted Volumes and select Special Operations > Modify > Assign to new/no container




From the **Container Selection** window check the Select No Container checkbox at the top left. This will remove the displayed containers.



Click OK to remove the Volumes from the assigned containers and exit back to the inventory window.

TapeMaster will now display the Volumes with no assigned containers.




Remove Volumes Via The Container Media Inventory Window


Purge Container Contents


Right click on the Container you want to remove the Volumes from and select Special operations > Container > Purge.

Multiple Containers can be purged together by selecting them, using Shift+Click or Ctrl+Click, before right clicking and selecting Special operations > Container > Purge.




Then click Yes to **Confirm purge** popup.





Remove Volumes Via The Container Properties Contents Tab

Right click and select Properties, or double click, the required container.



Select the Container Contents tab.

Edit Volume: CONT001

Attributes

VeriScore™

DR Strategies

Options

Catalog

Container Contents

Identity

Target Location

Current Location

Scanned Location

Notes

History

Datasets

Volume Attributes

Customer-ID

US02

Los Angeles Data Center

Media-ID

CONT

Container

Volume-ID

CONT001





CONT001

Update Statistics

When

Date

Tuesday, November 23, 2021 (0 days ago)

Time

10:51:41

UTC Offset

600 minutes

Time at source

Tuesday, November 23, 2021 - 09:51:41

Time Zone

AUS Eastern Standard Time

From

Machine Name

127.0.0.1 (GazillaByte)

Details

Connection Count

613

First Connection

Monday, August 16, 2021 - 11:01:35

Last Connection

Tuesday, November 23, 2021 - 10:34:34

Interface

TapeTrack TapeMaster

Operating System

Windows

As

User-ID

doco

User Name


doco

Save

Cancel

Help

Select the required volume/s from the displayed list, right-click highlighted volumes and click Remove From Container and Save to close window.



TapeMaster will now display the remaining Container contents, in this example as 0 as all Volumes were removed.

TapeTrack TapeMaster™ (GazillaByte)

File Administration Favorites Tools View Help

Customer Filter

GazillaByte - Production

US00 - United States

US01 - New York

US02 - Los Angeles

CONT - Container

LTO - LTO Cartridge

US03 - North Carolina

InventoryDR StrategiesData ClustersSimple ManagementUploaded FilesConsignments

Volumes

Los Angeles Data CenterContainer

ID	Current Location	Target Location	Flags	Container	Description	
Enter text ...	Enter text here	Enter text h...	En...	Enter text here	Enter text here	
CONT001	Offsite Vault		BC...	Is-Container:0	2nd Tuesday November	T...
CONT002	Library		BCn	Is-Container:0		P...
CONT003	Offsite Vault		BCn0	Is-Container:0		P...
CONT004	Offsite Vault		BCn0	Is-Container:0		P...
CONT005	Library		BCn	Is-Container:0		P...
CONT006	Library		BCn	Is-Container:0		P...
CONT007	Library		BCn	Is-Container:0		P...
CONT008	Offsite Vault		BCn0	Is-Container:0		P...
CONT009	Library		BCn	Is-Container:0		P...
CONT010	Library		BCn	Is-Container:0		P...
CONT011	Library		BCn	Is-Container:0		P...
CONT012	Offsite Vault		BCn0	Is-Container:0		P...
CONT013	Library		BCn	Is-Container:0		P...
CONT014	Library		BCn	Is-Container:0		P...
CONT015	Library		BCn	Is-Container:0		P...

Total Items15

Total Selected1

First Selection1

Repositories

Offsite Vault

Library

Connection 127.0.0.1 uses AES 256 bit encryptionTape

From:
<https://docs.tapetrack.com/> - TapeTrack Documentation

Permanent link:
https://docs.tapetrack.com/master/remove_volume_container_inventory?rev=1637631246

Last update: 2025/01/21 22:07

