


# Adding and Updating User Information

## Overview

The User Administration is the main maintenance terminal for managing Users.

## Group/User Administration

On the Administration drop down menu in TapeTrack TapeMaster select Group/User Administration.



To add a new User, right-click in the white space on the User Administration screen and select Add.



To update an existing User, double-click on that User or right-click and select "Properties". The Add New User window will display six tabs:

- [Identity](#)
- [Group](#)
- [IP Ranges](#)
- [Access](#)
- [Options](#)
- [Defaults](#)

## Identity

The Identity tab provides fields to update the User - ID and Name.

- User ID: The User ID will be the user name that the user uses to login to TapeTrack products.
- Name: The name is the User's desired display name.

Add New User

IdentityIP RangesAccess

Identity

ID

Name

Group

ID

Options

Administrative rightsFalse

Scan-In OnlyFalse

DisabledFalse

No ScannerFalse

No Time-OutFalse

tapemaster rightsFalse

Allow access inheritanceFalse

CertifyFalse

AD Domain

Require AD GroupFalse

Client Access

TapeMasterTrue

LiteTrue

CheckpointFalse

SyncTrue

Details

Email Address

Description

Defaults

Customer-ID<No Selection>

Save

Cancel

Help

## Group

The Group tab is where a User is added to a group depending on their role.

- Group: Associates the selected User with a Group.
- Role: Sets the Role for the User.



The screenshot shows the 'Add New User' dialog box with the 'Group' tab selected. The 'Group' dropdown is set to 'TapeLib' and the 'Role' dropdown is set to '0:Administrator'. There is an 'Add New Group' button at the bottom.

| Group |                 |
|-------|-----------------|
| Group | TapeLib         |
| Role  | 0:Administrator |

Add New Group

Select group to assign user to from the drop down list or [create new group](#).

## IP Ranges

The IP Ranges tab sets restrictions on which IP addresses a User can access the TapeTrack Server from. To add or delete, right-click the window. Global Access (0.0.0.0) will allow access from any IP.



The screenshot shows the 'Add New User' dialog box with the 'IP Ranges' tab selected. A table lists IP ranges, and a context menu is open over the table with options: 'Add IP', 'Add Global Access IP', and 'Delete IP'.

| Seq. | IP      | Mask |
|------|---------|------|
| 1    | 0.0.0.0 |      |

- Add IP
- Add Global Access IP
- Delete IP

## Access

The Access tab sets permissions for which Customers the selected User can access and how that

User can interact with Volumes in the selected Customer.

**Add New User**

Identity IP Ranges Access

Customer-ID **US\***

| Access  |             |
|---------|-------------|
| Read    | <b>True</b> |
| Write   | <b>True</b> |
| Alter   | <b>True</b> |
| Catalog | <b>True</b> |

Add

**Access Prediction**

| Customer | Description | Access                   |
|----------|-------------|--------------------------|
| US01     |             | Read Write Alter Catalog |
| US02     |             | Read Write Alter Catalog |

Total Items 2

Save Cancel Help

- Customer ID: Enter the Customer-ID for the Customer that the User should have access to.
  - US01 will give access to US01 only
  - US\* will give access to all customers starting with US
  - \* will give access to all customers
- Read: Allows the User to view but not update Volumes in the above Customer. Must be enabled for the User to be able to view Volumes in the selected Customer ID.
- Write: Allows the User to perform basic operations for Volumes in a Customer.
- Alter: Allows the User to Add and Delete Volumes to the selected Customer.

Click Add and then Save.

# Options

The Options tab has 3 sections to provide access to additional features of the software.

Add New User

Identity

Group

IP Ranges

Access

Options

Defaults

Options

|                       |                       |
|-----------------------|-----------------------|
| Administrative rights | True                  |
| Scan-In Only          | False                 |
| Disabled              | False                 |
| No Scanner            | False                 |
| No Time-Out           | False                 |
| tapemaster rights     | True                  |
| Certify               | True                  |
| AD Domain             | your.tapetrack.domain |
| Require AD Group      | True                  |

Client Access

|            |       |
|------------|-------|
| TapeMaster | True  |
| Lite       | True  |
| Checkpoint | False |
| Sync       | True  |

Details

|               |  |
|---------------|--|
| Email Address |  |
| Description   |  |

## Options

In the Options section is where you can select True or False to give that User access to that feature.

- Administration Rights: When set to True the User will have Administration Rights with Server Administrator privileges or the ability to Add or Delete Customers and Add or Delete Media Types.
- Scan-In Only: When set to True the User will only be able to Scan tapes into the system.
- Disabled: When set to True the User's access will be in a disabled status, so that they are not able to access any TapeTrack products. This does not delete the User.
- No Scanner: When set to True the Barcode Scanning Window will provide an auto-complete

drop-down.

- No Time-Out: By default, all User's are logged out of TapeMaster after ten minutes of inactivity. Setting this to True, the selected User will not time out.
- tapemaster rights: When set to True, it allows the User to gain the same administrative rights as the tapemaster superuser account.
- AD Domain: This is required if the User logs on to TapeTrack with their Active Directory Username and Password.
- Require AD Group: When set to True, the User must use their Active Directory credentials.

## Client Access

- When any of the Client Access are set to True, it allows the User to have access to the TapeTrack software that is selected.


Default settings give access to TapeMaster, Lite and Sync.

## Details

- Allows inclusion of user email

## Defaults

The Defaults tab sets a User's default Customer and Media Type for Barcode scanning. These defaults can be changed in the Barcode Scanning Window at any point.



The screenshot shows the 'Add New User' window with the 'Defaults' tab selected. The 'Barcode Defaults' section contains two rows of dropdown menus. The first row is for 'Customer-ID', with 'US01' selected in the first dropdown and 'New York Data Center' selected in the second dropdown. The second row is for 'Media-ID', with 'LTO' selected in the first dropdown and 'LTO Cartridge' selected in the second dropdown. All dropdown menus have a green highlight and a downward arrow icon.

Once all information is correct and complete click Save to create new user

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/master/user?rev=1500311655>

Last update: **2025/01/21 22:07**

