

Adding and Maintaining Volumes

Adding Volumes

Right-Click to add volumes

To add a Volume, right-click on a [Media Type](#) and select Add Volume or press Insert on the keyboard when viewing the [Volume List](#).




In the Edit new volume window enter the volume ID of the new volume to be added and click Save.




Scan to Add Volumes

Right-Click in the Volume List, navigate to Special Operations, and select Scan → Scan to Add Volumes to use a Barcode scanner to add Volumes to your default repository.



To add volumes to a repository other than your default, right click the required repository and select Scan → To Add and scan volumes to be added.




Deleting Volumes



You must have **Alter** rights to delete volumes

Select the required volume, or range of volumes from the inventory window you want to delete.


Right click highlighted volume/s and select **Delete**, or press Delete (DEL) on the keyboard.



The **Volume Deletion** window will display the **Repositories** where the volumes to be deleted are located in the top pane and volume ID's in the lower pane.

If the **Volume Deletion** window is not displayed it is because you are running an outdated version of TapeMaster. Instructions to delete volumes in older versions of TapeMaster can be found [here](#) New releases can be found at [TapeTrack](#)





Downloads</note>

Each row in the top pane will, along with the repository description (or ID), list the number of volumes for deletion and the delete status of either **Deletes Allowed** or **Deletes Forbidden**. For any repository listed with a status of **Deletes Forbidden** you must either: * Right clicking the row and selecting Allow to change status to **Deletes Allowed** * Right clicking the row and selecting Remove to remove the volumes before deletion of any volumes located in a repository with **Deletes Allowed**



Volume Deletion



You have selected Volumes for deletion from the following Repositories.

If one of those Repositories does not allow deletes, you must either allow deletes, or remove the Volumes from that Repository.

The Volumes in a Repository can be removed from the deletion list below by selecting the Repository and selecting the action from the Context Menu.

Repositories with Volumes to be deleted

Repository	Count	Delete Allowed
 Library	1	Deletes forbidden

Allow

Remove Volumes

Total Items1

Total Selected1

First Selection1

Volumes to be deleted

 000000L5

Total Items1

Delete Volumes

Cancel

status.

Click **Delete Volumes** and **Yes** to the delete confirmation to delete the volumes.

Confirm Delete

 Are you sure you want to delete the selected Volumes? History will be retained, but all deletes are final.

Yes

No

As deleting volumes is permanent, clicking **No** to the delete confirmation is your last opportunity to cancel the delete function. <note tip> When a volume is deleted its historical entries remain in the database. If a deleted Volume is added back in to the database, all previous history records including when deleted and added back, are listed under that volumes History tab. </note> See [Special Operations Menu](#) for further information.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/master/volumes?rev=1522280482>

Last update: **2025/01/21 22:07**

