


Data Cluster

A Data Cluster is an arbitrary grouping of [Volumes](#) that does not depend on sequential or similar [Volume-IDs](#).


They can be used in combination with [Simple Management Rules](#) to coordinate [Volume](#) movements.



Adding A Data Cluster

To add a Data Cluster: In TapeMaster, open the Media type of the required [Customer](#) and select the Data Clusters Administrative Tab.

Right-click inside the Data Clusters Administrative Tab and select Add or use the Insert key on the keyboard.



Fill out a brief description of this Data Cluster and, if necessary, insert a Parent Data Cluster for this

Data Cluster to be nested under.

Edit Cluster: 1

Identity

Attributes

Customer-ID

US02

Los Angeles Data Center

Index

1

Description

MONDAY_WEEKLY_BACKUPS

Parent

☒ Cluster Active

Update Statistics

Add Volumes to the Data Cluster.

Adding Multiple Volumes

From the Inventory tab of the required Customers media type: Select the Volumes in the Volume List. Right-click, select Special Operations → Modify → Data Cluster.

InventoryDR StrategiesData ClustersSimple ManagementUploaded Files

Volumes

Los Ange


ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
000000L6	Offsite Vault		CnO		Unspecified	Unassigned	Permanent
000001L6	Offsite Vault [000001]	Library	cCEMnN	H1:13:19	Unspecified	Unassigned	Permanent
000002L6	Library		CEnQ		Unspecified	Unassigned	Permanent
000003L6			CEnu		Unspecified	Unassigned	Permanent
000004L6			CEhnNt		Unspecified	Unassigned	Permanent
000005L6		[6]	CDO		Unspecified	Unassigned	Monday, Ja
000006L6		[02]	CDO		Unspecified	Unassigned	Monday, F
000007L6					Unspecified	Unassigned	Permanent
000008L6					Unspecified	Unassigned	Permanent
000009L6					Unspecified	Unassigned	Permanent
000010L6					Unspecified	Unassigned	Permanent
000011L6					Unspecified	Unassigned	Permanent
000012L6					Unspecified	Unassigned	Permanent
000013L6					Unspecified	Unassigned	Permanent
000014L6					Unspecified	Unassigned	Permanent
000015L6					Unspecified	Unassigned	Permanent
000016L6	Offsite Vault [000				Unspecified	Unassigned	Permanent
000017L6	Offsite Vault [000				Unspecified	Unassigned	Permanent
000018L6	Offsite Vault [000				Unspecified	Unassigned	Permanent
000019L6	Offsite Vault [000				Unspecified	Unassigned	Permanent
000020L6	Offsite Vault [000				Unspecified	Unassigned	Permanent

AddDeleteEditExportFindFavoritesPrintPropertiesSelectSpecial OperationsView

Modify

Assign to new/no containerData ClusterHome RepositoryFlagsNext Move


In the Data Cluster Selection window type in the Data Cluster that these Volumes should be associated with, and select from the clusters in the displayed list.




Click OK to save.

Adding Single Volume

Double-click or Right-Click and select Properties on a Volume in the Volume List to launch the Volume Properties Window.



Select the Options tab. At the top will be a field called **Data Cluster** with a drop down menu. Select the Data Cluster to associate this Volume with and click Save.



From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://docs.tapetrack.com/object/data_cluster?rev=1509728846

Last update: **2025/01/21 22:07**

