

Volume

A Volume represents one physical [object](#). Common Volumes include single LTO Cartridges, single DLT Cartridges, single compact discs, etc.


Volumes are the lowest Object of the TapeTrack hierarchy. They are owned by [Customers](#) and [Media Types](#) and can be moved between [Repositories](#).

Volume-ID

A Volume-ID is a string of characters associated with a Volume. Volume-IDs can be used to create Barcodes. They are often referred to as Volume Serials or Volsers.

Setting Rules for Volume-IDs

Allowable Volume-IDs can be set in the Options Tab of the Media Type Properties window.




Property	Value
Hide Media Type	False
Internal	False
Maximum Volumes	0
Maximum Repositories	0
Allowable Volume-IDs	?????L?
Default Media Type	True
Auto Simple Management	False
Auto Container	False
Stock Controlled	False
Auto Stock Selection	False
Relaxed Barcode Matching	True
No Move-back Warning	False
Lock Volumes	False
No HealthCheck	False
Show BuiltIn Repositories	False
Remove barcode suffix	False
Barcodes use Modulo43	False
Default Repository	Library

Duplicate Volume-IDs

It is recommended that there be no duplicate Volume-IDs in a Customer.

To verify that there are no duplicate Volumes in a Customer, select **Select All** from the Right-Click Menu in the Volume list, then use the **Check for Duplicate within Customer** function in the Special Operations menu under the Right-Click Menu.



Types of Volumes

Two types of Volumes can exist within a given Media Type:

- 1. **Volumes** - Any single physical object.

1. **Containers** - A Container is a Volume that can hold other Volumes.

Further Reading

[Volume Properties Window](#)

[Moving Volumes](#)

[Volume List](#)

Parent

- [Media Type](#)

[Adding and deleting a Volume](#)

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/object/volume?rev=1507065924>

Last update: **2025/01/21 22:07**

