

Allowable Volume ID's

The [Media](#) Option Allowable Volume ID's enables any new [Volume-ID's](#) added to conform to set format.

Edit Media: LTO Cartridge (6/0)

Identity Volume-ID Building Options

Hide Media Type	False
Internal	False
Maximum Volumes	0
Maximum Repositories	0
Allowable Volume-ID's	
Default Media Type	False
Auto Simple Management	False
Auto Container	False
Stock Controlled	False
Auto Stock Selection	False
Relaxed Barcode Matching	False
No Move-back Warning	False
Lock Volumes	False
No HealthCheck	False
Show BuiltIn Repositories	False
Remove barcode suffix	
Barcodes use Modulo43	False
Default Repository	Library

Allowable Volume-ID's
Allowable Volume-ID pattern. If non-blank, new Volumes must have a matching Volume-ID

Save Cancel Help

Options

* Allows any [Volume-ID](#) that conforms to TapeTrack ID rules.
Any other value disallows any [Volume-ID](#) that does not conform to the filter value.

[options](#), [media options](#)

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://docs.tapetrack.com/options/media/allowable_volume-ids

Last update: **2025/01/21 22:07**

