TapeTrack Mirror Report

The TapeTrack Mirror Report is created by the Command Line Program TMSS10Mirror .

Report Sections

Mirror Report (Detail)

<sxh plain;>

```
           System: TapeTrack
```

Report Description: Mirror Report (Detail)

```
     Report Notes: Local Customer(New York Data Center) Media(IBM 359x
Cartridge)
  Production Time: Thursday, April 19, 2018 - 10:18:18 (AUS Eastern Standard
Time)
     Report Width: 163 bytes
```

Seq. Step Volume-ID Remote-ID Notes Source User-ID Source Date/Time —— —- ———- ———————- ———————————————————————- ———————- ———————-

```
                                                  Local server  set to 127.0.0.1
                                                  Remote server set to 192.16.0.17
```

—— —- ———- ———————- ———————————————————————- ———————- ———————- </sxh>

Mirror Report (Extract)

<sxh plain;>

```
           System: TapeTrack
```

Report Description: Mirror Report (Extract)

```
  Production Time: Thursday, April 19, 2018 - 10:18:19 (AUS Eastern Standard
Time)
     Report Width: 122 bytes
```

Phase Executed Elapsed Updates Errors ———————————————————————- ———- ———- ——— ——— Phase 1: Adding missing Volumes to remote server (Local to Remote) Run S0 0 0 Phase 2: Adding missing Volumes to local server (Remote to Local) Run S0 0 0 Phase 3: Synchronizing Target Repositories (Local to Remote) Run S0 0 0 Phase 4: Synchronizing Scanned Repositories (Local

to Remote) Bypassed S0 0 0 Phase 5: Synchronizing Scanned Repositories (Remote to Local) Run S1 0 0 ——————————————————————————————— ————- ————- ———- ——- </sxh>

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/reports/mirror?rev=1524099395

Last update: **2025/01/21 22:07**