

Synchronization fields

The following fields can be set by synchronization:

Field	Maximum Length	TapeTrack Field	
CUSTOMER	4	Customer-ID	
MEDIA	4	[[elements:media	Media-ID
VOLUME	10	[[elements:volume	Volume-ID
REPOSITORY	4	[[elements:repository	Repository-ID
REPOSITORY_DESC	20	Description of Repository (will be used to set the REPOSITORY field)	
SLOT	10	Slot for Repository.	
DATACLUSTER	256	Data Cluster Value (Data Cluster must already exist)	
DESCRIPTION	256	Volume Description (use program flag to set Extended Attributes)	
MOVEDATE	64	Move Date (must have SetMoveDateFormat defined)	
WRITETIME	64	Write Time (must have SetWriteTimeFormat defined)	
CONTAINER	20	Fully qualified Container barcode	
SYSTEM	10	System this Volume belongs to	
ENCRYPTED	10	Is Volume encrypted (YES, NO, TRUE, FALSE)	
SCRATCH	10	Is Volume scratch (YES, NO, TRUE, FALSE)	

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://docs.tapetrack.com/sync/fields?rev=1528921192>

Last update: **2025/01/21 22:07**

