

# Installing Sync

## Installation Packages

### AIX, Linux and IBMi

The software is packaged using Redhat Package Manager (RPM). To invoke the installation simply enter the command

```
<sxh>rpm -i tapetrack-clients-2013.3.1.rpm </sxh>
```



File name shown is an example only. Replace with the file name of your downloaded version.

If you do not have RPM installed on your system a tar archive can be supplied on request.

### HP UX

The software is packaged as a tar archive.

### Solaris

The software is packaged using the Solaris Package Manager. To invoke the installation simply enter the command:

```
pkgadd -d TapeTrack-Clients.2013.4.SPARC.pkg
```



File name shown is an example only. Replace with the file name of your downloaded version.

### Windows

The TapeTrack Sync Software installs automatically via an InstallShield installer.

Click setup.exe to start the install.

### z/OS

The software is packaged as a tar archive and can be installed under USS with the following

commands:

```
cd /usr/bin mkdir /usr/bin/tapetrack cd /usr/bin/tapetrack gunzip tapetrack-  
clients-2013.3-1.s390.tar.gz tar xvf tapetrack-clients-2013.3-1.s390.tar
```



File name shown is an example only. Replace with the file name of your downloaded version.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/sync/installing?rev=1622595993>

Last update: **2025/01/21 22:07**

