

Installing Sync

Installation Packages

AIX, Linux and IBMi

The software is packaged using Redhat Package Manager (RPM). To invoke the installation simply enter the command

```
<sxh>rpm -i tapetrack-clients-2013.3.1.rpm </sxh>
```



File name shown is an example only. Replace with the file name of your downloaded version.

If you do not have RPM installed on your system a tar archive can be supplied on request.

HP UX

The software is packaged as a tar archive.

Solaris

The software is packaged using the Solaris Package Manager. To invoke the installation simply enter the command:

```
pkgadd -d TapeTrack-Clients.2013.4.SPARC.pkg
```



File name shown is an example only. Replace with the file name of your downloaded version.

Windows

The TapeTrack Sync Software installs automatically via an InstallShield installer.

Click setup.exe to start the install.

z/OS

The software is packaged as a tar archive and can be installed under USS with the following

commands:

```
cd /usr/bin mkdir /usr/bin/tapetrack cd /usr/bin/tapetrack gunzip tapetrack-  
clients-2013.3-1.s390.tar.gz tar xvf tapetrack-clients-2013.3-1.s390.tar
```



File name shown is an example only. Replace with the file name of your downloaded version.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/sync/installing?rev=1622596010>

Last update: **2025/01/21 22:07**

