

Assign Slot using Volume Properties Target Repository Tab


Volumes in a move to or currently confirmed in to the Target Repository you will only need to have the Slot number set.

Volumes not in a move to or currently confirmed in to the Target Repository you will need both the Target Repository as well as the Slot number set.

While this process can be used any number of [Volumes](#), you can only select a [Slot](#) for one [Volume](#) at a time so this process is best suited to one or low number of [Volumes](#). To [Slot](#) multiple [Volumes](#) more efficiently see [Scan to assign using Repository Usage Map](#).

Opening Volume Properties

Double click the required Volume or right click and select **Properties** and select the Target Repository tab.



Set Repository And Slot Allocation

From the Volume Properties window select the Target Location tab.

Setting Slot

Click in the field Slot under the section Virtual Location to open the Slot Selection window.
Select an unallocated Slot and click OK to close the window.

Edit Volume: 000002L6

Datasets Attributes VeriScore™ DR Strategies Options Catalog

Identity Target Location Current Location Scanned Location Notes History

Virtual Location

Repository	Offsite Vault
Slot	0

Physical Location

Zone	No-Alloc
Slot	0

Update Statistics

When

Date	Wednesday, August 11, 2021 (1 days ago)
Time	10:47:48
UTC Offset	600 minutes
Time at source	Wednesday, August 11, 2021 - 10:47:48
Time Zone	AUS Eastern Standard Time

From

Machine Name	127.0.0.1 (GazillaByte)
--------------	-------------------------

Details

Connection Count	2,610
First Connection	Sunday, August 04, 2019 - 16:44:36
Last Connection	Thursday, August 12, 2021 - 10:36:28
Interface	TapeTrack TapeMaster
Operating System	Windows

As

User-ID	doco
User Name	doco

Save Cancel Help

Click Save on the Volume Properties window to commit the updated data.

Setting Repository And Slot

Setting the Target Repository will place the Volume in a move from it's current location to the updated Target Repository.

Click in the field Repository under the section Virtual Location and select the required Repository.

Click Yes to the Repository Changed dialog to open the Slot Selection window.

Select an unallocated Slot and click OK to close the window.

Edit Volume: 000000L6

Datasets Attributes VeriScore™ DR Strategies Options Catalog

Identity Target Location Current Location Scanned Location Notes History

☒ Virtual Location

Repository Library

☒ Physical Location

Zone No-Alloc

Slot 0

☒ Update Statistics

☒ When

Date Tuesday, August 10, 2021 (1 days ago)

Time 11:13:22

UTC Offset 600 minutes

Time at source Tuesday, August 10, 2021 - 11:13:22

Time Zone AUS Eastern Standard Time

☒ From

Machine Name 127.0.0.1 (GazillaByte)

☒ Details

Connection Count 2,610

First Connection Sunday, August 04, 2019 - 16:44:36

Last Connection Thursday, August 12, 2021 - 10:36:28

Interface TapeTrack TapeMaster

Operating System Windows

☒ As

User-ID doco

User Name doco

Save Cancel Help

Click Save on the Volume Properties window to commit the updated data.

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://docs.tapetrack.com/technote/assign_slot_volume_properties?rev=1628730519

Last update: **2025/01/21 22:07**

