

Barcode Definition Examples

For detailed information about Barcode Definitions and how to create/edit them see [Barcode Definitions](#).

Special Characters	Special Character Description	Description
*	Asterisk	Wildcard that matches 0 or more characters
?	Question mark	Represents one character
[]	Open and close square bracket	Specify an array of characters listed to match the specified character position

For detailed information on special characters see [Pattern Matching](#)

Barcode Pattern Definition ????.*

- ? translates to a single character
- * translates as a wild card and matches anything

Edit Barcode

Enabled: True

Barcode Description: Generic ????.*

☒ Scope

Barcode Pattern: ????[-]????[-]*

User Pattern: *

Range Start:

Range End:

☒ Editing

Edit Mask: 00000000000000000000

Strip Characters:

☒ Elements

☒ Customer-ID

Use substring: True

Substring First Character: 1

Substring Last Character: 4

☒ Media-ID

Use substring: True

Substring First Character: 6

Substring Last Character: 9

☒ Volume-ID

Use substring: True

Substring First Character: 11

Substring Last Character: 20

OK Cancel

Barcode US01.CONT.CT100100

The filter will dissect the barcode to:

- Customer-ID: US01
- Media-ID: CONT
- Volume-ID: CT100100

Barcode Pattern Definition *? ?*

- ? translates to a single character
- * translates as a wild card and matches anything

Enabled	True
Barcode Description	Space Barcode Hash
Scope	
Barcode Pattern	*? ?*
User Pattern	*
Range Start	
Range End	
Editing	
Edit Mask	00000000000000000000
Strip Characters	
Elements	
Customer-ID	
Use substring	False
Literal	
Media-ID	
Use substring	False
Literal	
Volume-ID	
Use substring	False
Literal	#

Volume-ID MONDAY WEEK ONE

The filter will hash the barcode to

- X-D8ED51DA

[technote](#), [barcode](#), [tapemaster](#)

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://docs.tapetrack.com/technote/barcode-interpretation-definition/examples?rev=1626743677>

Last update: **2025/01/21 22:07**

