# Installing TapeTrack Via Repository

Tapetrack can be installed manually by downloading the Linux RPM's available at https://mirror-us.tapetrack.com/ (see Installing TapeTrack), including adding the dependencies glibc.i68, zlib.i686, libstdc++.i686, libssh.i686.

The repository at https://mirror-us.tapetrack.com/repodata/ allows you to download and install both TapeTrack and the required dependencies in an automated process.

## Prerequisites

Redhat based Linux operating system:

- RedHat
- CentOS
- Fedora
- Oracle Linux
- ClearOS

dnf-plugins-core

### Add TapeTrack Repository

Create file for repository /etc/yum.repos.d/tapetrack.repo.

```
cat > /etc/yum.repos.d/tapetrack.repo <<'EOF'
[tapetrack]
name=Tapetrack Repository
baseurl=https://mirror-us.tapetrack.com/
enabled=1
gpgcheck=0
repo_gpgcheck=0
metadata_expire=300
EOF
```

#### Set permissions

```
chmod 644  /etc/yum.repos.d/tapetrack.repo
```

### Refresh Meta Data

```
dnf clean all
```

```
dnf makecache
```

## Verify Repository Works

```
dnf --disablerepo="*" --enablerepo="tapetrack" list available
```

## Install TapeTrack

```
dnf install 'tapetrack*'
```

From:
https://docs.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
**https://docs.tapetrack.com/technote/linux-repository?rev=1780027770**

Last update: **2026/05/29 04:09**