

Transferring files via SFTP

Linux

The Linux `sftp` command does not provide an argument to specify a password. If you do not want to configure keys for the transfer, you can install the `sshpass` program.

```
<sxh text;> [root@corp-01 ~]# yum install sshpass Last metadata expiration check: 0:04:14 ago on Fri 19 Apr 2019 04:22:49 PM MDT. Dependencies resolved.
```

Package Arch Version Repository Size

Installing: `sshpass x86_64 1.06-4.fc27` fedora 26 k

Transaction Summary

Install 1 Package

Total download size: 26 k Installed size: 38 k Is this ok [y/N]: y Downloading Packages:
`sshpass-1.06-4.fc27.x86_64.rpm` 1.4 MB/s | 26 kB 00:00

Total 196 kB/s | 26 kB 00:00 Running transaction check Transaction check succeeded. Running transaction test Transaction test succeeded. Running transaction

```
Preparing      :  
1/1  
Installing     : sshpass-1.06-4.fc27.x86_64  
1/1  
Running scriptlet: sshpass-1.06-4.fc27.x86_64  
1/1  
Verifying      : sshpass-1.06-4.fc27.x86_64  
1/1
```

Installed:

```
sshpass.x86_64 1.06-4.fc27
```

Complete! </sxh>

Once `sshpass` is installed, you can call `sshpass`, pass the password and then pass the `sftp` command string as an argument.



To specify multiple command strings you can either pass a file full of commands, or



you can use the bash here-string syntax.

```
<sxh bash;> sshpass -p "password" sftp -v user@server.tapetrack.com «< '$cd upload\n put  
drm.csv\n ls -al' </sxh>
```

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/technote/sftp?rev=1555713067>

Last update: **2025/01/21 22:07**

