

Home Slot


When Volumes are slotted by the Command Line Program [TMSS10SlotAllocation](#) the Slots assigned are determined by the Repository Options setting, either [IntelliSlot](#) or First Available.

Assigning a Volume with a Home Slot will have [TMSS10SlotAllocation](#) attempt to slot that Volume to its Home Slot first, if that Slot is unavailable the Volume will be Slotted according to the preset protocol.

Assigning A Home Slot

Volume Already Slotted In Required Home Slot

If the Volume is already Slotted in, or assigned (Target) to the Slot, right click on the Volume and select Special Operations > Capture Home Slot.



To assign a Volume to a Home Slot, from the Inventory window in TapeMaster:

- Right-click a Volume and select Properties
- Open the Options tab
- Expand the Home Locations
- In the Slot field, enter the required Home Slot number
- Click Save to update the data and close the Properties window.

Edit Volume: 000013L6

Identity Target Location Current Location Scanned Location Notes History
Datasets Attributes VeriScore™ DR Strategies Options Catalog

Data Cluster	<No Selection>
Stage	<No Selection>
Percentage Used	0
Cartridge Generation	6
Stage	<No Selection>
⊕ Dates	
⊕ Occurrences	
⊖ Home Locations	
Slot	282
Repository	<No Selection>
⊕ Flags	

Slot
Slot that slotting will preference when allocating a slot

Save Cancel Help



If a Volume is Slotted in multiple Repositories (eg Offsite Vault and Racking), [TMSS10SlotAllocation](#) will attempt to assign it to its Home Slot in all Repositories.

[update doco](#), [home](#), [slot](#)

From:
<https://docs.tapetrack.com/> - TapeTrack Documentation

Permanent link:
https://docs.tapetrack.com/technote/volume_home_slot?rev=1623113069

Last update: 2025/01/21 22:07

