Environmental Variables

The TapeTrack Desktop and Command Line Programs can be influenced in their behavior by setting Environmental Variables.

The Environmental Variables can be set in Windows Command Line, batch files, PowerShell files and Linux enviroment by using the appropriate formats.

For more information on setting Environmental Variables see this Technical Note.

Environmental Variables

- Setting Environmental Variables
- TMSS10BACK
- TMSS10DB
- TMSS10REPORTS
- TMSS10SCRIPTS
- TMSSAPILOGDIR
- TMSSATTRIBUTENOCASELOOKUP
- TMSSBARCODEPARSESPACEOK
- TMSSBEEP
- TMSSCMDSTRING
- TMSSCONFIGFILE
- TMSSCSVNOHEADER
- TMSSDESCRIPTIONTEXT
- TMSSDROPREPORT
- TMSSENVTRACE
- TMSSEXCELOUTPUTPATH
- TMSSINETD
- TMSSKERBEROS
- TMSSLEVELNAMES
- TMSSNOLEVELSLOT
- TMSSNOMD5
- TMSSPDFBLANKPAGETEXT
- TMSSPDFCOLORHDR
- TMSSPDFLOGOPATH
- TMSSPDFORIENTATION
- TMSSPDFOUTPUTPATH
- TMSSPDFPAGESIZE
- TMSSPRINTRAWINPUT
- TMSSPROGRESSDISABLE
- TMSSPWPATH
- TMSSRECONCILETEXT

- TMSSREPORTCOLUMNDELETE
- TMSSREPORTFORMAT
- TMSSREPORTHTMLLOGO
- TMSSREPORTTITLE
- TMSSSCANFILENOPARSE
- TMSSSCANFILEUNQUALIFIED
- TMSSSERVERPROXY
- TMSSSLACKICON
- TMSSSLACKNOTES
- TMSSSLACKONERROR
- TMSSSLACKURL
- TMSSSLACKUSER
- TMSSSTDERRDIR
- TMSSSTDERRNOCOLOR
- TMSSSTDERRTERMINAL
- TMSSUNQUALIFIEDVOLUME
- TMSSUSERINHERIT

CSV Report Environmental Variables

- TMSS10REPORTS
- TMSSCSVNOHEADER
- TMSSDESCRIPTIONTEXT
- TMSSDROPREPORT
- TMSSNOMD5
- TMSSREPORTCOLUMNDELETE
- TMSSREPORTFORMAT
- TMSSREPORTTITLE
- TMSSUNQUALIFIEDVOLUME

Excel Report Environmental Variables

- TMSS10REPORTS
- TMSSDESCRIPTIONTEXT
- TMSSDROPREPORT
- TMSSEXCELOUTPUTPATH
- TMSSNOMD5
- TMSSREPORTCOLUMNDELETE
- TMSSREPORTFORMAT
- TMSSREPORTTITLE
- TMSSUNQUALIFIEDVOLUME

HTML Report Environmental Variables

- TMSS10REPORTS
- TMSSDESCRIPTIONTEXT
- TMSSDROPREPORT
- TMSSREPORTCOLUMNDELETE
- TMSSREPORTFORMAT
- TMSSREPORTHTMLLOGO
- TMSSREPORTTITLE
- TMSSUNQUALIFIEDVOLUME

PDF Report Environmental Variables

- TMSS10REPORTS
- TMSSDESCRIPTIONTEXT
- TMSSDROPREPORT
- TMSSNOMD5
- TMSSPDFBLANKPAGETEXT
- TMSSPDFCOLORHDR
- TMSSPDFLOGOPATH
- TMSSPDFORIENTATION
- TMSSPDFOUTPUTPATH
- TMSSPDFPAGESIZE
- TMSSREPORTCOLUMNDELETE
- TMSSREPORTFORMAT
- TMSSREPORTTITLE
- TMSSUNQUALIFIEDVOLUME

Slack Environmental Variables

- TMSSSLACKICON
- TMSSSLACKNOTES
- TMSSSLACKONERROR
- TMSSSLACKURL
- TMSSSLACKUSER

Stderr Environmental Variables

- TMSSSTDERRDIR
- TMSSSTDERRNOCOLOR
- TMSSSTDERRTERMINAL

Path Environmental Variables

- TMSS10BACK
- TMSS10DB
- TMSS10SCRIPTS
- TMSSAPILOGDIR
- TMSSCONFIGFILE
- TMSSEXCELOUTPUTPATH
- TMSSPDFLOGOPATH
- TMSSPDFOUTPUTPATH
- TMSSPWPATH
- TMSSREPORTHTMLLOGO

Linux Environmental Variables

- Linux Shared Objects

From:
https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/variable/start

Last update: **2025/01/21 22:07**