

TMSSLEVELNAMES

The [Environmental Variable](#) TMSSLEVELNAMES allows, via Configuration files or [Command Line Programs](#), to map [Zone](#) level numbers to String values.

Example

Using [TMSS10Inventory](#) to display LTO [Volumes](#) currently at [Repository](#) OFFS from [Customer](#) US04.

```
TMSS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

Output

System: TapeTrack									
Report Description: Inventory List									
Report Notes: Customer(Nashville Data Center) Media Type(LT0 Cartridge)									
Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard Time)									
Report Width: 161 bytes									
Seq.	Barcode	Location				Repository			
Next Move	Days	Last Move		GDup	CDup	Container			

[1]	1	US04.LT0.000001L5		GT1 [1.1]		Offsite Vault			
				2018-06-18 10:13		6	2		
[2]	2	US04.LT0.000002L5		GT1 [1.2]		Offsite Vault			
				2018-06-18 10:13		5	1		
[3]	3	US04.LT0.000003L5		GT1 [1.3]		Offsite Vault			
				2018-06-18 10:13		5	1		
[5]	4	US04.LT0.000004L5		GT1 [1.5]		Offsite Vault			
				2018-06-18 10:13		5	1		

Setting TMSSLEVELNAMES to A, B, C before running [TMSS10Inventory](#) to change level names from 1, 2, 3 etc. [TMSS10Inventory](#) to display LTO [Volumes](#) currently as [Repository](#) OFFS from [Customer](#) US04.

```
set TMSSLEVELNAMES=A,B,C
TMSS10Inventory -S user:-password@server -V "US04.LT0.*@OFFS"
```

Output

System: TapeTrack									
Report Description: Inventory List									
Report Notes: Customer(Nashville Data Center) Media Type(LT0 Cartridge)									
Production Time: Monday, June 18, 2018 - 11:31:27 (AUS Eastern Standard Time)									
Report Width: 161 bytes									
Seq.	Barcode	Location				Repository			
Next Move	Days	Last Move		GDup	CDup	Container			

[1]	1	US04.LT0.000001L5	GT1 [A.1]	2018-06-18 10:13		Offsite Vault			
					6	2			
[2]	2	US04.LT0.000002L5	GT1 [A.2]	2018-06-18 10:13		Offsite Vault			
					5	1			
[3]	3	US04.LT0.000003L5	GT1 [A.3]	2018-06-18 10:13		Offsite Vault			
					5	1			
[5]	4	US04.LT0.000004L5	GT1 [A.5]	2018-06-18 10:13		Offsite Vault			
					5	1			

See Also

- [TMSSNOLEVELSLOT](#)
- [Setting Environmental Variables](#)

[environmental variables](#), [connecting](#), [lite variable](#)

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/variable/tmsslevelnames>

Last update:

2025/01/21 22:07

