

TMSSLEVELNAMES

The [Environmental Variable](#) TMSSLEVELNAMES allows, via Configuration files or [Command Line Programs](#), to map [Zone](#) level numbers to string values.

Example

Using [TMSS10Inventory](#) to display LTO [Volumes](#) currently at [Repository](#) OFFS from [Customer](#) US04.

```
<sxh> TMSS10Inventory -S user:-password@server -V "US04.LTO.*@OFFS" </sxh>
```

Output

```
<sxh>
```

System: TapeTrack

Report Description: Inventory List

Report Notes: Customer(Nashville Data Center) Media Type(LTO Cartridge)
Production Time: Monday, June 18, 2018 - 11:25:39 (AUS Eastern Standard Time)
Report Width: 161 bytes

```
Seq. Barcode Location Repository Next Move Days Last Move GDup CDup Container ---
----- 1
US04.LTO.000001L5 GT1 [1.1] Offsite Vault [1] 2018-06-18 10:13 6 2
```

2	US04.LTO.000002L5	GT1 [1.2]	Offsite Vault [2]
2018-06-18 10:13	5	1	
3	US04.LTO.000003L5	GT1 [1.3]	Offsite Vault [3]
2018-06-18 10:13	5	1	
4	US04.LTO.000004L5	GT1 [1.5]	Offsite Vault [5]
2018-06-18 10:13	5	1	

```
----- </sxh>
```

Setting TMSSLEVELNAMES to A, B, C before running [TMSS10Inventory](#) to change level names from 1, 2, 3 etc. [TMSS10Inventory](#) to display LTO [Volumes](#) currently as [Repository](#) OFFS from [Customer](#) US04.

```
<sxh> set TMSSLEVELNAMES=A,B,C TMSS10Inventory -S user:-password@server -V
"US04.LTO.*@OFFS" </sxh>
```

Output

<sxh>

System: TapeTrack

Report Description: Inventory List

Report Notes: Customer(Nashville Data Center) Media Type(LTO Cartridge)
Production Time: Monday, June 18, 2018 - 11:31:27 (AUS Eastern Standard Time)
Report Width: 161 bytes

Seq. Barcode Location Repository Next Move Days Last Move GDup CDup Container ---
----- 1
US04.LTO.000001L5 GT1 [A.1] Offsite Vault [1] 2018-06-18 10:13 6 2

2	US04.LTO.000002L5	GT1 [A.2]	Offsite Vault [2]
2018-06-18 10:13	5	1	
3	US04.LTO.000003L5	GT1 [A.3]	Offsite Vault [3]
2018-06-18 10:13	5	1	
4	US04.LTO.000004L5	GT1 [A.5]	Offsite Vault [5]
2018-06-18 10:13	5	1	

----- </sxh>

See Also

- [TMSSNOLEVELSLOT](#)
- [Setting Environmental Variables](#)

[environmental variables](#), [connecting](#), [lite variable](#)

From:
<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://docs.tapetrack.com/variable/tmsslevelnames?rev=1579563918>

Last update: **2025/01/21 22:07**

