

TMSSSLACKUSER

The [Environmental Variable](#) TMSSSLACKUSER allows you to add a user name or company description to the top of the Slack message to better differentiate the message origin if you have several different users set up.

Example

Windows Command Line

```
set TMSSSLACKUSER=GazillaByte
```

Windows PowerShell

```
$env:TMSSSLACKUSER = "GazillaByte"
```

Linux

```
export TMSSSLACKURL=GazillaByte
```

Example

Windows Command Line

```
set TMSSSLACKUSER=GazillaByte
```

Windows PowerShell

```
$env:TMSSSLACKUSER = "GazillaByte"
```

Linux

```
export TMSSSLACKUSER="GazillaByte"
```

Sample Output

**GazillaByte** APP 11:33 AM

TapeTrack TMSS10ListMoveHistory (build Sep 17 2021)

Ended with RC=0

Notes

GazillaByte Report

Elapsed time 0 minutes and 9 seconds

See Also

[TMSSLACKURL](#)[TMSSLACKICON](#)[TMSSLACKONERROR](#)[TMSSLACKNOTES](#)[Setting Environmental Variables](#)[environmental variables, paths](#)

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/variable/tmsslackuser?rev=1631849531>Last update: **2025/01/21 22:07**