

Simple Management Cookbook

The purpose of this section is to provide practical examples on how to configure Simple Management to automate the scheduled movement of media from one repository to another.

For a detailed description of the Simple Management Subsystem please see the [Simple Management section](#).

Enabling Simple Management

Simple Management can be enabled for a [Target Repository](#), or for a specific [Volume](#).

When enabled at a [Repository](#) level, a matching Simple Management Rule must exist with a matching scope for every [Volume](#) moved to that [Repository](#).

When enabled for a specific [Volume](#), a Simple Management Rule must exist with a matching scope that for every [Repository](#) that the [Volume](#) will move to.

Enabling at a Repository level

- Force Simple Management option is set to True.
- As Simple Management sets a Next Move Date, and [Volumes](#) are traditionally moved using the [TMSS10MovePending](#) program, it is recommended that the Next Repository option is set to an appropriate value.

Edit Repository: Library

Identity

Zones

Slot Usage

Options

Usage History

Movement History

Certification

Type	Library
Scratch Mode	No Change
Scratch Priority	0
Offsite	False
Primary	False
No Distribution	False
Internal	False
Sort Sequence	0
Force Simple Management	True
No Next Repository	False
Allow Deletes	True
Allow Overlaps	False
De-assign from Container	False
Empty Container	False
Do not slot if Container	False
Do not slot	False
Require Tag	False
Require Tag Reset	False
No re-move	False
Disallow backward next move date changes	False
Reset Data Cluster	False
Confirm Container Contents	False
Move Container Contents	False
Late Threshold	0
Highwater Offset	0
Movement Mode	None
Next Repository	Offsite Vault
Enable Slotting	False

Capacity

Force Simple Management

When a Volume moves to this Repository always run Simple Management

Save

Cancel

Help

Recipes

[Restore or Maintain Next Move Date](#)


[Every 2nd Wednesday Of The Month](#)

[2nd last day of each month](#)

The 2nd last day of each month

First of all check and confirm that the properties of the required repositories have had the Force Simple Management option set to True, and the Next Repository option is set to the repository as per the intended rule.

Select the Simple Management tab above the Inventory window to the right of the Customer tree view. Right-click and select Add.



This will open the Edit New Simple Management Rule window and display the Identity tab. On this tab enter an appropriate description into the Description field. In this example 'Return 2nd Last Day' has been entered.

Edit New Simple Management Rule

Identity

Options

Calculations

Index/Description

Customer-ID

JT01

JT Test Customer 01

Index

0

Description

Return 2nd Last Day

Save

Cancel

Help

cookbook

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://docs.tapetrack.com/cookbook/simplemanagement?rev=1618195035>

Last update:

2025/01/21 22:07

