


Container Assignment Utility

The Container Assignment Utility allows volumes to be assigned to a barcoded container through the use of your preferred [scanning method](#).

Volumes can also be assigned to required containers by [scanning directly to a container](#) via the properties tab.

Assigning Volumes To A Container

To open the Container Assignment Utility select, from the main menu, Tools → Container Assignment Utility.



This will open the Container Assignment Utility window, which by default, will open the scan input window.

The screenshot displays the 'Container Assignment Utility' application. At the top, there's a 'Container' dropdown menu currently set to 'None'. Below it, a table shows 'Existing Contents' and 'New Contents' with columns for 'Volume', 'Count', and 'Exists'. A 'Scan to Assign' dialog box is open in the foreground. This dialog has a header bar with a 'Scan to Assign' button and a close button. The main area of the dialog contains a table with the following columns: 'Barcode', 'Customer', 'Media Type', 'Volume-ID', and 'Message'. The table is currently empty, and a message box at the bottom of the table area states 'There are no items to display in this list.' To the right of the table, there are several icons: a clipboard, a document, a double arrow, a QR code, and a barcode. At the bottom of the dialog, there's a 'Messages' tab and a 'Scan' button. The background window also shows a 'Totals' section with counts for 'Existing', 'New', and 'Total' items.

Container		Existing Contents		New Contents		
Container	None	Volume		Volume	Count	Exists
Totals						
Existing	0					
New	0					
Total	0					

Barcode	Customer	Media Type	Volume-ID	Message
There are no items to display in this list.				

Messages

Scan

Apply

Cancel



If scanning unqualified barcodes (ie CONT001 not US01.CONT.CONT001) you will need to make sure the customer ID and media ID are correct in the defaults of the scan window for both the containers and volumes.

Using your preferred [scanning method](#), scan the container you wish to assign the volumes to and then the volumes. Any volumes scanned before a container are in error of the procedure and will be disregarded.

Scan to Assign

000002L6

Barcode	Customer	Media Type	Volume-ID	Message
000002L6			000002L6	Request OK
000001L6			000001L6	Request OK
000000L6			000000L6	Request OK
US01.CONT.CONT001			CONT001	Request OK

Defaults

Customer-ID	US01
Media-ID	LTO

Options


Save Defaults	True
Enable Sounds	False
Edit	
Multiline Records	False

Messages (4)

When you have scanned all volumes assigned to the current container, close the scan in window by clicking the X at the top right.

Click **Apply** to execute container assignment and yes to confirmation.

Alternatively click **Cancel** and yes to confirmation to cancel the volume assignment to that container.



Volumes will then move from the **New Contents** column to the **Existing Contents** column.

Container Assignment Utility

Container

US01.CONT.CONT001

Totals

Existing	3
New	0
Total	3

Existing Contents

Volume

US01.LTO.000002L6

US01.LTO.000001L6

US01.LTO.000000L6

New Contents

Volume	Count	Exists
There are no items to display in this list.		

Scan

Apply

Cancel

To assign volumes to another container click Scan and follow the above procedure.

When finished click the X at the top right corner to exit the Container Assignment Utility.

From:

<https://docs.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://docs.tapetrack.com/master/container_assignment?rev=1535421747

Last update:

2025/01/21 22:07

